

Ação A1

Avaliação da Situação de Referência do Estado de Conservação dos Charcos Temporários

A lista de referências bibliográficas compila, a nível mundial, referências de publicações científicas, relatórios de projetos, trabalhos académicos e outros documentos relacionados com a ecologia e biodiversidade de charcos temporários.

Lista de Referências Bibliográficas

- Adams, M. J. (2000). Pond Permanence and the Effects of Exotic Vertebrates on Anurans. *Ecological Applications*, 10(2), 559–568. doi:10.1890/1051-0761(2000)010[0559:PPATEO]2.0.CO;2
- Aguilar-Alberola, J. A. (2013). Heterocypris bosniaca (Petkowski et al., 2000): Ecología y ontogenia de un ostrácodo (Crustacea: Ostracoda) de pozas temporales. Universitat de València.
- Aguilar-Alberola, J. A., & Mesquita-Joanes, F. (2014). Breaking the temperature-size rule: Thermal effects on growth, development and fecundity of a crustacean from temporary waters. *Journal of Thermal Biology*, 42(1), 15–24. doi:10.1016/j.jtherbio.2014.02.016
- Aláez, M. F., Aláez, C. F., Rodríguez, S., & Bécares, E. (1988). Evaluation of the state of conservation of shallow lakes in the province of Leon (Northwest Spain) using botanical criteria. *Limnetica*, 17, 107–117.
- Alcazar, R. (1998). Impactos da agricultura nas lagoas temporárias do Parque Natural do Sudoeste Alentejano e Costa Vicentina. Universidade de Lisboa.
- Alexander, D. (1998). Patterns in time and space for rare macroinvertebrates and vascular plants in vernal pool ecosystems at the Vina Plains Preserve, and implications for pool landscape management. In *Ecology, Conservation, and Management of Vernal Pool Ecosystems – Proceedings from a 1996 Conference*. (pp. 161–168).
- ALFA. (2004). Tipos de Habitat Naturais e Semi-Naturais do Anexo I da Directiva 92/43/CEE (Portugal continental): Fichas de Caracterização Ecológica e de Gestão para o Plano Sectorial da Rede Natura 2000. Lisboa.
- Alford, R. A., & Richards, S. J. (1999). Global Amphibian Declines: A Problem in Applied Ecology. *Annual Review of Ecology and Systematics*, 30(1), 133–165. doi:10.1146/annurev.ecolsys.30.1.133
- Alonso, J. L. B. (2010). Conservación De Las Lagunas Temporales. *Flora Montiberica*, 86, 54–86.
- Al-Sayed, H., & Zainal, K. (2005). The occurrence of Anostracans - Fairy shrimps *Branchipus schaefferi* in vernal pools of Bahrain. *Journal of Arid Environments*, 61(3), 447–460. doi:10.1016/j.jaridenv.2004.06.008

- Alvarez, M., San Martín, J., & Deil, U. (2013). Nanism and ephemerism as reasons for a hidden abundance in vernal pool plants: The example of *Lepuropetalon spathulatum* in Chile. *Feddes Repertorium*, 123(1-2), 55–66. doi:10.1002/fedr.201200016
- Alvarez, S., & Guerrero, M. C. (2000). Enzymatic activities associated with decomposition of particulate organic matter in two shallow ponds. *Soil Biology and Biochemistry*, 32(13), 1941–1951. doi:10.1016/S0038-0717(00)00170-X
- Amami, B., Muller, S. D., Rhazi, L., Grillas, P., Rhazi, M., & Bouahim, S. (2010). Modern pollen-vegetation relationships within a small Mediterranean temporary pool (western Morocco). *Review of Palaeobotany and Palynology*, 162(2), 213–225. doi:10.1016/j.revpalbo.2010.06.012
- Amami, B., Rhazi, L., Bouahim, S., Rhazi, M., & Grillas, P. (2009). Vegetation recolonisation of a Mediterranean temporary pool in Morocco following small-scale experimental disturbance. *Hydrobiologia*, 634(1), 65–76. doi:10.1007/s10750-009-9895-5
- Amami, B., Rhazi, L., Chaibi, M., Fauquette, S., Ayt Ougougdal, M., Charif, A., ... Muller, S. D. (2013). Late quaternary history of a mediterranean temporary pool from western morocco, based on sedimentological and palynological evidence. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 392, 281–292. doi:10.1016/j.palaeo.2013.09.024
- Angeler, D. G., Alvarez-Cobelas, M., & Sánchez-Carrillo, S. (2010). Evaluating environmental conditions of a temporary pond complex using rotifer emergence from dry soils. *Ecological Indicators*, 10(2), 545–549. doi:10.1016/j.ecolind.2009.07.001
- Angeler, D. G., & García, G. (2005). Using emergence from soil propagule banks as indicators of ecological integrity in wetlands: advantages and limitations. *Journal of the North American Benthological Society*, 24(4), 740–752. doi:10.1899/05-025.1
- Angeler, D. G., Martín, S., & Moreno, J. M. (2005). Daphnia emergence: A sensitive indicator of fire-retardant stress in temporary wetlands. *Environment International*, 31(4), 615–620. doi:10.1016/j.envint.2004.10.015
- Angeler, D. G., & Moreno, J. M. (2006). Impact-recovery patterns of water quality in temporary wetlands after fire retardant pollution. *Canadian Journal of Fisheries and Aquatic Sciences*, 63(7), 1617–1626. doi:10.1139/f06-062
- Antonio, C. M. D., Ecology, S., Jan, N., & Antonio, C. M. D. (2015). *Carpobrotus Edulis* Linked references are available on JSTOR for this article: *Carpobrotus Edulis* '. *Ecology*, 74(1), 83–95.
- Antón-Pardo, M., & Armengol, X. (2010). Zooplankton community from restored peridunal ponds in the mediterranean region (L'Albufera Natural Park, Valencia, Spain). *Limnetica*, 29(1), 133–144.
- Anusa, A., Ndagurwa, H., & Magadza, C. (2012). The influence of pool size on species diversity and water chemistry in temporary rock pools on Domboshawa Mountain, northern Zimbabwe. *African Journal of Aquatic Science*, 37(1), 89–99. doi:10.2989/16085914.2012.666378

- Aponte, C., Kazakis, G., Ghosn, D., & Papanastasis, V. P. (2010). Characteristics of the soil seed bank in Mediterranean temporary ponds and its role in ecosystem dynamics. *Wetlands Ecology and Management*, 18, 243–253. doi:10.1007/s11273-009-9163-5
- Arguimbau, P. F. I. (2009). International Conference on Temporary ponds Menorca 2009 - Conference Proceedings (pp. 1–473).
- Arle, J. (2002). Physical and chemical dynamics of temporary ponds on a calcareous plateau in Thuringia, Germany. *Limnologica - Ecology and Management of Inland Waters*, 32(2), 83–101. doi:10.1016/S0075-9511(02)80001-9
- Armitage, P. D., Hawczak, A., & Blackburn, J. H. (2012). Tyre track pools and puddles - Anthropogenic contributors to aquatic biodiversity. *Limnologica*, 42(4), 254–263. doi:10.1016/j.limno.2012.07.002
- Arntzen, J. W., Recuero, E., Canestrelli, D., & Martínez-Solano, I. (2013). How complex is the *Bufo bufo* species group? *Molecular Phylogenetics and Evolution*, 69(3), 1203–1208. doi:10.1016/j.ympev.2013.07.012
- Arribas, R., Diaz-Paniagua, C., & Gomez-Mestre, I. (2014). Ecological consequences of amphibian larvae and their native and alien predators on the community structure of temporary ponds. *Freshwater Biology*, 59(9), 1996–2008. doi:10.1111/fwb.12402
- Arsénio, P., Neto, C., Monteiro-Henriques, T., & Costa, J. C. A. (2009). Guia geobotânico da excursão ALFA 2009 ao litoral alentejano. *Quercetea*, 9, 4–42.
- Associates, S. (1996). Patterns of Vernal Pool Biodiversity at Beale Air Force Base. *Ecosystems*, 95818(1984), 151–160.
- Associates, S. (1998). Aquatic Macroinvertebrate Occurrences and Population Trends in Constructed and Natural Vernal Pools in Folsom, California. *Agriculture*, 224–235.
- Atauri, J. A., & De Lucio, J. V. (2001). The role of landscape structure in species richness distribution of birds, amphibians, reptiles and lepidopterans in Mediterranean landscapes. *Landscape Ecology*, 16(2), 147–159. doi:10.1023/A:1011115921050
- Ayres, C., & Cordero, A. (2007). Site tenacity in European pond turtle (*Emys orbicularis*) hatchlings in Northwestern Spain. *Amphibia-Reptilia*, 28(1), 144–147. doi:10.1163/156853807779798947
- Badosa, A., Frisch, D., Arechederra, A., Serrano, L., & Green, A. J. (2010). Recovery of zooplankton diversity in a restored Mediterranean temporary marsh in Doñana National Park (SW Spain). *Hydrobiologia*, 654(1), 67–82. doi:10.1007/s10750-010-0370-0
- Bagella, S., & Caria, M. C. (2012). Diversity and ecological characteristics of vascular flora in Mediterranean temporary pools. *Comptes Rendus Biologies*, 335(1), 69–76. doi:10.1016/j.crvi.2011.10.005

- Bagella, S., & Caria, M. C. (2013). Sensitivity of ephemeral wetland swards with *Isoetes histrix* Bory to environmental variables: Implications for the conservation of Mediterranean temporary ponds. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 23(November 2012), 277–290. doi:10.1002/aqc.2290
- Bagella, S., Caria, M. C., Farris, E., & Filigheddu, R. (2009). Spatial-time variability and conservation relevance of plant communities in Mediterranean temporary wet habitats: A case study in Sardinia (Italy). *Plant Biosystems - An International Journal Dealing with All Aspects of Plant Biology*, 143(May 2015), 435–442. doi:10.1080/11263500903187068
- Bagella, S., Caria, M. C., & Filigheddu, R. (2013). Gap analysis revealed a low efficiency of Natura 2000 network for the conservation of endemic species in Mediterranean temporary freshwater habitats. *Plant Biosystems*, 147(4), 1092–1094. doi:10.1080/11263504.2013.860055
- Bagella, S., Caria, M. C., & Zuccarello, V. (2010). Patterns of emblematic habitat types in Mediterranean temporary wetlands. *Comptes Rendus - Biologies*, 333(9), 694–700. doi:10.1016/j.crvi.2010.06.006
- Bagella, S., Caria, M., Farris, E., & Filigheddu, R. (2007). Issues related to the classification of Mediterranean temporary wet habitats according with the European Union Habitats Directive. *Fitosociologia*, 44(2), 245–249.
- Bagella, S., Caria, M., Farris, E., & Filigheddu, R. (2009). Phytosociological analysis in Sardinian Mediterranean temporary wet habitats. *Fitosociologia*, 46(1), 11–26.
- Bagella, S., Gascón, S., Caria, M. C., Sala, J., Mariani, M. A., & Boix, D. (2010). Identifying key environmental factors related to plant and crustacean assemblages in Mediterranean temporary ponds. *Biodiversity and Conservation*, 19(6), 1749–1768. doi:10.1007/s10531-010-9801-5
- Baião, C. E. M. (2015). *Perceção Ambiental sobre os Charcos Temporários da Costa Sudoeste de Portugal*. Universidade de Évora.
- Baldwin, R. F., & deMaynadier, P. G. (2009). Assessing threats to pool-breeding amphibian habitat in an urbanizing landscape. *Biological Conservation*, 142(8), 1628–1638. doi:10.1016/j.biocon.2009.02.039
- Balfour, P. S., & Morey, S. R. (1999). Prey Selection by Juvenile Bullfrogs in a Constructed Vernal Pool Complex. *Transactions of the Western Section of the Wildlife Society*, 35, 34–40.
- Barbero, M., & Quézel, P. (2014). Groupements hygrophiles de l'isoète dans les Maures. *Bulletin de La Société Botanique de France*, 112(5-6), 276–290. doi:10.1080/00378941.1965.10838242
- Barbour, M. G., Solomeshch, A. I., Buck, J. J., Holland, R. F., Witham, C. W., MacDonald, R. L., ... Lazar, K. A. (2007). Classification, ecological characterization, and presence of listed plant taxa of vernal pool associations in California. *Final Report, United States Fish and Wildlife Service Agreement/Study*, (May), 1–146.

- Barbour, M. G., Solomeshch, A. I., Holland, R. F., Witham, C. W., Macdonald, R. L., Cilliers, S. S., ... Hillman, J. M. (2005). Vernal pool vegetation of California: Communities of long-inundated deep habitats. *Phytocoenologia*, 35(2-3), 177–200. doi:10.1127/0340-269X/2005/0035-0177
- Barko, J. W., Adams, M. S., & Clesceri, N. L. (1986). Environmental factors and their consideration in the management of submersed aquatic vegetation: a review. *Journal of Aquatic Plant Management*, 24, 1–10.
- Bartholomeus, R. P., Witte, J.-P. M., Bodegom, P. M. Van, & Aerts, R. (2008). The need of data harmonization to derive robust empirical relationships between soil conditions and vegetation. *Journal of Vegetation Science*, 19(6), 799–808. doi:10.3170/2008-8-18450
- Baskin, Y. (1994). California's Ephemeral Vernal Pools May Be a Good Model for Speciation. *BioScience*, 44(6), 384–388. doi:10.2307/1312360
- Bass, D., & Sweet, M. H. (1980). Do Chaoborus larvae migrate in temporary pools? *Hydrobiologia*, 108(2), 181–185. doi:http://www.springerlink.com/content/p44h5088t5266q33/
- Bauder, E. T. (1996). Exotics in the Southern California Vernal Pool Ecosystem. *California Exotic Pest Plant Council*, (194 1), 1–4.
- Bauder, E. T. (2000). Inundation effects on small-scale plant distributions in San Diego, California vernal pools. *Aquatic Ecology*, 34(1), 43–61. doi:10.1023/A:1009916202321
- Bauder, E. T. (2005). The effects of an unpredictable precipitation regime on vernal pool hydrology. *Freshwater Biology*, 50(12), 2129–2135. doi:10.1111/j.1365-2427.2005.01471.x
- Bauder, E. T., & McMillan, S. (1998). Current distribution and historical extent of vernal pools in southern California and Northern Baja California, México. *Ecology, Conservation, and Management of Vernal Pool Ecosystems Proceedings from a 1996 conference*, 92182, 56–70.
- Bauer, A. M. (2008). Book Review: Science and Conservation of Vernal Pools in Northeastern North America. *Herpetological Review*. doi:10.1201/9781420005394
- Bazzanti, M., Coccia, C., & Giuseppina Dowgiallo, M. (2010). Microdistribution of macroinvertebrates in a temporary pond of Central Italy: Taxonomic and functional analyses. *Limnologica*, 40(4), 291–299. doi:10.1016/j.limno.2009.10.006
- Bazzanti, M., Grezzi, F., & Bella, V. Della. (2008). Chironomids (Diptera) of Temporary and Permanent Ponds in Central Italy: a Neglected Invertebrate Group in Pond Ecology and Conservation. *Journal of Freshwater Ecology*, 23(2), 219–229. doi:10.1080/02705060.2008.9664194

- Bazzanti, M., Seminara, M., & Baldoni, S. (1997). Chironomids (Diptera: Chironomidae) from Three Temporary Ponds of Different Wet Phase Duration in Central Italy. *Journal of Freshwater Ecology*, 12(May 2015), 89–99. doi:10.1080/02705060.1997.9663512
- Becker, C. G., Fonseca, C. R., Haddad, C. F. B., Batista, R. F., & Prado, P. I. (2007). Habitat Split and the Global Decline of Amphibians. *Science*, 318(5857), 1775–1777. doi:10.1126/science.1149374
- Bedard-Haughn, A., Jongbloed, F., Akkerman, J., Uijl, A., de Jong, E., Yates, T., & Pennock, D. (2006). The effects of erosional and management history on soil organic carbon stores in ephemeral wetlands of hummocky agricultural landscapes. *Geoderma*, 135, 296–306. doi:10.1016/j.geoderma.2006.01.004
- Beja, P., & Alcazar, R. (2003). Conservation of Mediterranean temporary ponds under agricultural intensification: an evaluation using amphibians. *Biological Conservation*, 114(3), 317–326. doi:10.1016/S0006-3207(03)00051-X
- Beladjal, L., Peiren, N., Vandekerckhove, T. T. M., & Mertens, J. (2003). Different Life Histories of the Co-Occurring Fairy Shrimps *Branchipus Schaefferi* and *Streptocephalus Torvicornis* (Anostraca). *Journal of Crustacean Biology*, 23(2), 300–307. doi:10.1651/0278-0372(2003)023[0300:DLHOTC]2.0.CO;2
- Belk, D. (1998). Global Status and Trends in Ephemeral Pool Invertebrate Conservation: Implications for Californian Fairy Shrimp. *Ecology, Conservation, and Management of Vernal Pool Ecosystems - Proceedings from a 1996 Conference. California Native Plant Society, Sacramento, CA. 1998.*, 3194, 147–150.
- Benavent-Gonzalez, A., Lumbreras, A., & Molina, J. A. (2014). Plant communities as a tool for setting priorities in biodiversity conservation: a novel approach to Iberian aquatic vegetation. *Biodiversity and Conservation*, 23(9), 2135–2154. doi:10.1007/s10531-014-0709-3
- Benoit, J. M., Cato, D. A., Denison, K. C., & Moreira, A. E. (2013). Seasonal mercury dynamics in a New England vernal pool. *Wetlands*, 33(5), 887–894. doi:10.1007/s13157-013-0447-4
- Berven, K. A. (1990). Factors affecting population fluctuations in Larval and Adult Stages of the Wood Frog (*Rana Sylvatica*). *Ecology*, 71(4), 1599–1608.
- Beyeler, S. C., & Dale, V. H. (2001). Challenges in the development and use of ecological indicators. *Ecological Indicators*, 1(1), 3–10. doi:10.1016/S1470-160X(01)00003-6
- Biggs, J., Fox, G., Nicolet, P., Withfield, M., & Williams, P. (2001). Dangers and opportunities in managing temporary ponds. *Freshwater Forum*, 17(1), 71–80.
- Biggs, J., Williams, P., Whitfield, M., Nicolet, P., & Weatherby, A. (2005). 15 years of pond assessment in Britain: results and lessons learned from the work of Pond Conservation. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 15(6), 693–714. doi:10.1002/aqc.745

- Biology, E. (2006). A comparative analysis of the adaptive developmental plasticity hypothesis in six Mediterranean anuran species along a pond permanency gradient. *Evolutionary Ecology Research*, 8(6), 1139–1154.
- Bird, M. S., Day, J. A., & Rebelo, A. J. (2013). Physico-chemical impacts of terrestrial alien vegetation on temporary wetlands in a sclerophyllous Sand fynbos ecosystem. *Hydrobiologia*, 711(1), 115–128. doi:10.1007/s10750-013-1470-4
- Black, C., & Zedler, P. (1998). An Overview of 15 Years of Vernal Pool Restoration and Construction Activities in San Diego County , California. *Ecology, Conservation, and Management of Vernal Pool Ecosystems*, 92182, 195–205.
- Blackwell, M. S. A., & Pilgrim, E. S. (2011). Ecosystem services delivered by small-scale wetlands. *Hydrological Sciences Journal*, 56(8), 1467–1484. doi:10.1080/02626667.2011.630317
- BLAUSTEIN, L., & SCHWARTZ, S. S. (2001). Why Study Ecology in Temporary Pools? *Israel Journal of Zoology*, 47(4), 303–312. doi:10.1560/CKMU-Q2PM-HTGC-P9C8
- Bliss, S. A., & Zedler, P. H. (1998). The germination process in vernal pools: sensitivity to environmental conditions and effects on community structure. *Oecologia*, 113(1), 67–73. doi:10.1007/s004420050354
- Blondel, J., Aronson, J., Bodiou, J.-Y., & Boeuf, G. (2010). *The Mediterranean Region*.
- Boix, D. (2004). La importància ecològica de les basses i llacunes temporàries, 19–21.
- Boix, D., Biggs, J., Céréghino, R., Hull, A. P., Kalettka, T., & Oertli, B. (2012). Pond research and management in Europe: “Small is Beautiful.” *Hydrobiologia*, 689(1), 1–9. doi:10.1007/s10750-012-1015-2
- Boix, D., Gascón, S., Sala, J., Martinoy, M., Gifre, J., & Quintana, X. D. (2005). A new index of water quality assessment in Mediterranean wetlands based on crustacean and insect assemblages: The case of Catalunya (NE Iberian peninsula). *Aquatic Conservation: Marine and Freshwater Ecosystems*, 15(6), 635–651. doi:10.1002/aqc.750
- Boix, D., & Quintana, X. D. (2013). Les llacunes i les basses permanents d’ interior, (JUNE).
- Boix, D., & Sala, J. (2002). Riqueza y rareza de los insectos acuáticos de la laguna temporal de Espolia (Pía de l’Estany, Cataluña). *Boletín de La Asociación Española de Entomología*, 26(1-2), 45–57.
- Boix, D., Sala, J., Gascón, S., & Brucet, S. (2006). Predation in a temporary pond with special attention to the trophic role of *Triops cancriformis* (Crustacea: Branchiopoda: Notostraca). *Hydrobiologia*, 571(1), 341–353. doi:10.1007/s10750-006-0259-0
- Boix, D., Sala, J., Gascón, S., Compte, J., & Quintana, X. D. (2015). Llacunes I Aiguamolls Mediterranis. *L’atzavara*, 25, 5–18.
- Boix, D., Sala, J., Gascón, S., Martinoy, M., Gifre, J., Brucet, S., ... Quintana, X. D. (2007). Comparative biodiversity of crustaceans and aquatic insects from various water body types in coastal Mediterranean wetlands. *Hydrobiologia*, 584(1), 347–359. doi:10.1007/s10750-007-0579-8

- Boix, D., Sala, J., & Moreno-Amich, R. (2001). The faunal composition of espolla pond (Iberian Peninsula): the neglected biodiversity of temporary waters. *Wetlands*, 21(4), 577–592. doi:10.1672/0277-5212(2001)021
- Bonis, A., & Grillas, P. (2002). Deposition, germination and spatio-temporal patterns of charophyte propagule banks: A review. *Aquatic Botany*, 72(3-4), 235–248. doi:10.1016/S0304-3770(01)00203-0
- Bonner, L. A., Diehl, W. J., & Altig, R. (1997). Physical, chemical and biological dynamics of five temporary dystrophic forest pools in central Mississippi. *Hydrobiologia*, 353, 77–89. doi:10.1023/A:1003098526340
- Bouahim, S., Rhazi, L., Amami, B., Sahib, N., Rhazi, M., Waterkeyn, A., ... Grillas, P. (2010). Impact of grazing on the species richness of plant communities in Mediterranean temporary pools (western Morocco). *Comptes Rendus Biologies*, 333(9), 670–679. doi:10.1016/j.crv.2010.06.004
- Bouahim, S., Rhazi, L., Mathevet, R., Ernoul, L., Amami, B., Saber, E., Muller, S.D., Grillas, P. (2011). Analysis of perception of temporary pools in western of Morocco by the local stakeholders and the interest of sustainable development. *J. Mater. Environ.*, 2, 451–454.
- Bouahim, S., Rhazi, L., Amami, B., Waterkeyn, A., Rhazi, M., Saber, E.-R., ... Grillas, P. (2014). Unravelling the impact of anthropogenic pressure on plant communities in Mediterranean temporary ponds. *Marine and Freshwater Research*, 65(10), 918. doi:10.1071/MF13194
- Bouahim, S., Rhazi, L., Ernoul, L., Mathevet, R., Amami, B., Er-Riyahi, S., ... Grillas, P. (2015). Combining vulnerability analysis and perceptions of ecosystem services in sensitive landscapes: A case from western Moroccan temporary wetlands. *Journal for Nature Conservation*, 27, 1–9. doi:10.1016/j.jnc.2015.05.003
- Box, P. O., Bluff, R., & Alameda, C. U. a D. (1996). Managing the Sacramento Valley Vernal Pool Landscape to Sustain the Native Flora. *Ecosystems*, 236–240.
- Brendonck, L. (1996). Diapause, quiescence, hatching requirements: what we can learn from large freshwater branchiopods (Crustacea: Branchiopoda: Anostraca, Notostraca, Conchostraca). *Hydrobiologia*, 320, 85–97. doi:10.1007/BF00016809
- Brendonck, L., & De Meester, L. (2003). Egg banks in freshwater zooplankton: evolutionary and ecological archives in the sediment. *Hydrobiologia*, 491(1-3), 65–84. doi:10.1023/A:1024454905119
- Brendonck, L., Michels, E., De Meester, L., & Riddoch, B. (2002). Temporary pools are not “enemy free.” *Hydrobiologia*, 486, 147–159.
- Brendonck, L., Rogers, D. C., Olesen, J., Weeks, S., & Hoeh, W. R. (2008). Global diversity of large branchiopods (Crustacea: Branchiopoda) in freshwater. *Hydrobiologia*, 595(1), 167–176. doi:10.1007/s10750-007-9119-9

- Briers, R. A., & Biggs, J. (2003). Indicator taxa for the conservation of pond invertebrate diversity. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 13(4), 323–330. doi:10.1002/aqc.576
- Brock, M. A., Nielsen, D. L., Shiel, R. J., Green, J. D., & Langley, J. D. (2003). Drought and aquatic community resilience: the role of eggs and seeds in sediments of temporary wetlands. *Freshwater Biology*, 48(7), 1207–1218. doi:10.1046/j.1365-2427.2003.01083.x
- Brodman, R., Ogger, J., Bogard, T., Long, A. J., Pulver, R. A., Mancuso, K., & Falk, D. (2003). Multivariate Analyses of the Influences of Water Chemistry and Habitat Parameters on the Abundances of Pond-Breeding Amphibians. *Journal of Freshwater Ecology*, 18(3), 425–436. doi:10.1080/02705060.2003.9663978
- Brooks, R. T. (2000). Annual and seasonal variation and the effects of hydroperiod on benthic macroinvertebrates of seasonal forest (“vernal”) ponds in central Massachusetts, USA. *Wetlands*, 20(4), 707–715. doi:10.1672/0277-5212(2000)020[0707:AASVAT]2.0.CO;2
- Brooks, R. T. (2005). A review of basin morphology and pool hydrology of isolated ponded wetlands: Implications for seasonal forest pools of the northeastern United States. *Wetlands Ecology and Management*, 13(3), 335–348. doi:10.1007/s11273-004-7526-5
- Brooks, R. T. (2009). Potential impacts of global climate change on the hydrology and ecology of ephemeral freshwater systems of the forests of the northeastern United States. *Climatic Change*, 95(3-4), 469–483. doi:10.1007/s10584-008-9531-9
- Brooks, R. T., Miller, S. D., & Newsted, J. (2002). The impact of urbanization on water and sediment chemistry of ephemeral forest pools. *Journal of Freshwater Ecology*, 17(3), 485–488. doi:10.1080/02705060.2002.9663924
- Brtek, J. A. N., & Mura, G. (2000). Revised key to families and genera of the anostraca with notes on their geographical distribution since the pioneer works of Daday de Déés (1910) and Linder (1941), many new genera and species of Anostraca have been described . Furthermore , in partic. *Crustaceana*, 73(9), 1037–1088.
- Brtek, J., & Thiéry, A. (1995). The geographic distribution of the European Branchiopods (Anostraca, Notostraca, Spinicaudata, Laevicaudata). *Hydrobiologia*, 298(1-3), 263–280. doi:10.1007/BF00033821
- Brundu, G. (2014). Plant invaders in European and Mediterranean inland waters: profiles, distribution, and threats. *Hydrobiologia*, 746, 61–79. doi:10.1007/s10750-014-1910-9
- Buck, J. J. (2004). *Temporal vegetation dynamics in Central and Northern California vernal pools*. University of California.
- Bunce, R. G. H., Bogers, M. M. B., Evans, D., & Jongman, R. H. G. (2013). Field identification of habitats directive Annex I habitats as a major European biodiversity indicator. *Ecological Indicators*, 33, 105–110. doi:10.1016/j.ecolind.2012.10.004

- Bunis, R., Buyofsky, L., Martz, T., Conway, K., Cooper, R., Kelly, M., ... John, E. (2011). A Journal of Comparative Environmental Studies. *STOCKTONIA_A Journal of Comparative Environmental Studies*, 14(1), 1–57.
- Burne, M. R., & Griffin, C. R. (2005a). Habitat associations of pool-breeding amphibians in eastern Massachusetts, USA. *Wetlands Ecology and Management*, 13(3), 247–259. doi:10.1007/s11273-004-7519-4
- Burne, M. R., & Griffin, C. R. (2005b). Protecting vernal pools: A model from Massachusetts, USA. *Wetlands Ecology and Management*, 13(3), 367–375. doi:10.1007/s11273-004-7528-3
- Butterwick, M. (1996). The Hydrogeomorphic Approach and Its Use in Vernal Pool Functional Assessment. *Ecology, Conservation, and Management of Vernal Pool Ecosystems*, 94105, 50–55.
- Cable Rains, M., Fogg, G. E., Harter, T., Dahlgren, R. A., & Williamson, R. J. (2006). The role of perched aquifers in hydrological connectivity and biogeochemical processes in vernal pool landscapes, Central Valley, California. *Hydrological Processes*, 20(5), 1157–1175. doi:10.1002/hyp.5937
- Calhoun, A. J. K., Miller, N. A., & Klemens, M. W. (2005). Conserving pool-breeding amphibians in human-dominated landscapes through local implementation of Best Development Practices. *Wetlands Ecology and Management*, 13(3), 291–304. doi:10.1007/s11273-004-7523-8
- Calosi, P., Bilton, D. T., & Spicer, J. I. (2007). The diving response of a diving beetle: Effects of temperature and acidification. *Journal of Zoology*, 273(3), 289–297. doi:10.1111/j.1469-7998.2007.00326.x
- Camacho, A., Borja, C., Valero-garcés, B., Sahuquillo, M., Cirujano, S., Soria, J. M., ... Gosálvez, R. U. (2009). *3170 Lagunas y charcas temporales mediterráneas (*)*.
- Camargo, J. A., & Alonso, A. (2006). Ecological and toxicological effects of inorganic nitrogen pollution in aquatic ecosystems: A global assessment. *Environmental International*, 32, 831–849. doi:10.1016/j.envint.2006.05.002
- Canals, R. M., Ferrer, V., Iriarte, A., Cárcamo, S., Emeterio, L. S., & Villanueva, E. (2011). Emerging conflicts for the environmental use of water in high-valuable rangelands. Can livestock water ponds be managed as artificial wetlands for amphibians? *Ecological Engineering*, 37(10), 1443–1452. doi:10.1016/j.ecoleng.2011.01.017
- Cancela da Fonseca, L., Cristo, M., Machado, M., Sala, J., Reis, J., Alcazar, R., & Beja, P. (2008). Mediterranean temporary ponds in Southern Portugal: key faunal groups as management tools? *Pan-American Journal of ...*, 3(3), 304–320.
- Canha, P., & Pinto Cruz, C. (2010). *Plano de Gestão de Charcos Temporários Mediterrânicos no Concelho de Odemira*.

- Caramujo, M. J., & Boavida, M. J. (2010). Biological diversity of copepods and cladocerans in Mediterranean temporary ponds under periods of contrasting rainfall. *Journal of Limnology*, 69(1), 6. doi:10.3274/JL10-69-1-06
- Carchini, G., Della Bella, V., Solimini, A. G., & Bazzanti, M. (2007). Relationships between the presence of odonate species and environmental characteristics in lowland ponds of central Italy. *Annales de Limnologie - International Journal of Limnology*, 43(2), 81–87. doi:10.1051/limn/2007020
- Caria, M. C., Capra, G. F., Buondonno, A., Seddaiu, G., Vacca, S., & Bagella, S. (2013). Small-scale patterns of plant functional types and soil features within Mediterranean temporary ponds. *Plant Biosystems - An International Journal Dealing with All Aspects of Plant Biology*, 149(May), 384–394. doi:10.1080/11263504.2013.821097
- Carpenter, L., Stone, J., & Griffin, C. R. (2011). Accuracy of aerial photography for locating seasonal (vernal) pools in massachusetts. *Wetlands*, 31(3), 573–581. doi:10.1007/s13157-011-0169-4
- Carreira, B. M., Dias, M. P., & Rebelo, R. (2014). How consumption and fragmentation of macrophytes by the invasive crayfish *Procambarus clarkii* shape the macrophyte communities of temporary ponds. *Hydrobiologia*, 721(1), 89–98. doi:10.1007/s10750-013-1651-1
- Carrino-Kyker, S. R., Smemo, K. A., & Burke, D. J. (2012). The effects of pH change and NO₃ pulse on microbial community structure and function: a vernal pool microcosm study. *FEMS Microbiology Ecology*, 81(3), 660–672. doi:10.1111/j.1574-6941.2012.01397.x
- Carrino-Kyker, S. R., Swanson, A. K., & Burke, D. J. (2011). Changes in eukaryotic microbial communities of vernal pools along an urban-rural land use gradient. *Aquatic Microbial Ecology*, 62(1), 13–24. doi:10.3354/ame01432
- Carta, A., Bedini, G., Foggi, B., & Probert, R. J. (2012). Laboratory germination and seed bank storage of *Ranunculus peltatus* subsp. *baudotii* seeds from the Tuscan Archipelago. *Seed Science and Technology*, 40(1), 11–20. doi:10.15258/sst.2012.40.1.02
- Carta, A., Bedini, G., Müller, J. V., & Probert, R. J. (2013). Comparative seed dormancy and germination of eight annual species of ephemeral wetland vegetation in a Mediterranean climate. *Plant Ecology*, 214(2), 339–349. doi:10.1007/s11258-013-0174-1
- Carvalho, D., Horta, P., Raposeira, H., Santos, M., Luís, A., & Cabral, J. A. (2013). How do hydrological and climatic conditions influence the diversity and behavioural trends of water birds in small Mediterranean reservoirs? A community-level modelling approach. *Ecological Modelling*, 257, 80–87. doi:10.1016/j.ecolmodel.2013.02.012
- Casanova, M. T., & Brock, M. A. (2000). How do depth, duration and frequency of flooding influence the establishment of wetland plant communities? *Plant Ecology*, 147, 237–250. doi:10.1023/A:1009875226637

- Catalán, N., Schiller, D. von, Marcé, R., Koschorreck, M., Gomez-Gener, L., & Obrador, B. (2014). Carbon dioxide efflux during the flooding phase of temporary ponds. *Limnetica*, 33(2), 349–360.
- Cayrou, J., & Céréghino, R. (2005). Life-cycle phenology of some aquatic insects: Implications for pond conservation. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 15(6), 559–571. doi:10.1002/aqc.739
- Cayuela, H., Besnard, A., Béchet, A., Devictor, V., & Olivier, A. (2012). Reproductive dynamics of three amphibian species in Mediterranean wetlands: the role of local precipitation and hydrological regimes. *Freshwater Biology*, 57(12), 2629–2640. doi:10.1111/fwb.12034
- Céréghino, R., Biggs, J., Oertli, B., & Declerck, S. (2008). The ecology of European ponds: Defining the characteristics of a neglected freshwater habitat. *Hydrobiologia*, 597(1), 1–6. doi:10.1007/s10750-007-9225-8
- Céréghino, R., Boix, D., Cauchie, H.-M., Martens, K., & Oertli, B. (2014). The ecological role of ponds in a changing world. *Hydrobiologia*, 723(1), 1–6. doi:10.1007/s10750-013-1719-y
- Céréghino, R., Oertli, B., Bazzanti, M., Coccia, C., Compin, A., Biggs, J., ... Scher, O. (2012). Biological traits of European pond macroinvertebrates. *Hydrobiologia*, 689(1), 51–61. doi:10.1007/s10750-011-0744-y
- Chappuis, E., Ballesteros, E., & Gacia, E. (2012). Distribution and richness of aquatic plants across Europe and Mediterranean countries: patterns, environmental driving factors and comparison with total plant richness. *Journal of Vegetation Science*, 23(5), 985–997. doi:10.1111/j.1654-1103.2012.01417.x
- Chappuis, E., Gacia, E., & Ballesteros, E. (2014). Environmental factors explaining the distribution and diversity of vascular aquatic macrophytes in a highly heterogeneous Mediterranean region. *Aquatic Botany*, 113, 72–82. doi:10.1016/j.aquabot.2013.11.007
- Chappuis, E., Lumbreras, A., Ballesteros, E., & Gacia, E. (2015). Deleterious interaction of light impairment and organic matter enrichment on *Isoetes lacustris* (Lycopodiophyta, Isoetales). *Hydrobiologia*, 760(1), 145–158. doi:10.1007/s10750-015-2321-2
- Ciccotelli, B., Harris, T. B., Connery, B., & Rajakaruna, N. (2011). A Preliminary Study of the Vegetation of Vernal Pools of Acadia National Park, Maine, U.S.A. *Rhodora*, 113(955), 260–279. doi:10.3119/0035-4902-113.955.260
- Clarísó, I. E., Pons, E. C., Arguimbau, P. F., Pons, M. S., Mercadal, J. M., & Moll, E. T. (2010). Conservación y gestión de estanques temporales mediterráneos en Menorca.
- Clausnitzer, D., & Huddleston, J. H. (2002). Wetland determination of a southeast Oregon vernal pool and management implications. *Wetlands*, 22(4), 677–685. doi:10.1672/0277-212(2002)022[0677:WDOASO]2.0.CO;2

- Cogoni, A., Scrugli, A., & Cortis, P. (2009). Bryophyte flora of some temporary pools in Sardinia and Corsica. *Plant Biosystems - An International Journal Dealing with All Aspects of Plant Biology*, 143(sup1), S97–S103. doi:10.1080/11263500903220190
- Colburn, E. a, Weeks, S. C., & Reed, S. K. (2008). Diversity and ecology of vernal pool invertebrates. *Science and Conservation of Vernal Pools in Northeastern North America*, 105–126.
- Cole, J. J., & Fisher, S. G. (1979). Nutrient budgets of a temporary pond ecosystem. *Hydrobiologia*, 63(3), 213–222.
- Collinge, S. K., & Ray, C. (2009). Transient patterns in the assembly of vernal pool plant communities. *Ecology*, 90(12), 3313–3323. doi:10.1890/08-2155.1
- Collinge, S. K., Ray, C., & Gerhardt, F. (2011). Long-term dynamics of biotic and abiotic resistance to exotic species invasion in restored vernal pool plant communities. *Ecological Applications*, 21(6), 2105–2118.
- Collinge, S. K., Ray, C., Gerhardt, F., Collinge, S. K., & Gerhardt, F. (2015). Ecological Applications. *Ecological Applications*, 21(6), 2105–2118.
- Collinge, S. K., Ray, C., & Marty, J. T. (2013). A Long-Term Comparison of Hydrology and Plant Community Composition in Constructed Versus Naturally Occurring Vernal Pools. *Restoration Ecology*, 21(6), 704–712. doi:10.1111/rec.12009
- Collins, J. P., & Storfer, A. (2003). Global amphibian declines : sorting the hypotheses. *Diversity and Distributions*, 9, 89–98.
- Collinson, N. H., Biggs, J., Corfield, A., Hodson, M. J., Walker, D., Whitfield, M., & Williams, P. J. (1995). Temporary and permanent ponds: An assessment of the effects of drying out on the conservation value of aquatic macroinvertebrate communities. *Biological Conservation*, 74(2), 125–133. doi:10.1016/0006-3207(95)00021-U
- Comission, E. (2007). Interpretation Manual of European Union Habitats. doi:10.1016/S0021-9290(99)00083-4
- Commission, E. (1996). Interpretation Manual of European Union Habitats. European Comission.
- Commission, E. (2012). Assessment and reporting under Article 12 of the Birds Directive Explanatory Notes & Guidelines for the period 2008-2012 Final Version December 2011.
- Compte, J., Montenegro, M., Ruhl, A., Sala, J., & Boix, D. (2015). Microhabitat selection and diel patterns of zooplankton in a Mediterranean temporary pond. doi:10.1007/s10750-015-2455-2
- Compton, B. W., McGarigal, K., Cushman, S. A., & Gamble, L. R. (2007). A resistant-kernel model of connectivity for amphibians that breed in vernal pools. *Conservation Biology*, 21(3), 788–799. doi:10.1111/j.1523-1739.2007.00674.x

- Compton, B. W., McGarigal, K., Cushman, S. A., & Gamble, L. R. (2007). A Resistant-Kernel Model of Connectivity for Amphibians that Breed in Vernal Pools\rUn Modelo de Núcleo Resistente de la Conectividad para Anfibios que se Reproducen en Charcos Vernales. *Conservation Biology*, 21(3), 788–799. doi:10.1111/j.1523-1739.2007.00674.x
- Conference, I., Temporary, M., & Proceedings, P. (2009). International Conference on Mediterranean Temporary Ponds Proceedings and Abstracts.
- Copeland, H. E., Tessman, S. A., Girvetz, E. H., Roberts, L., Enquist, C., Orabona, A., ... Kiesecker, J. (2010). A geospatial assessment on the distribution, condition, and vulnerability of Wyoming's wetlands. *Ecological Indicators*, 10(4), 869–879. doi:10.1016/j.ecolind.2010.01.011
- Cordero Rivera, A., Velo-Antón, G., & Galán, P. (2007). Ecology of amphibians in small coastal Holocene islands: local adaptations and the effect of exotic tree plantations. *Munibe*, 25, 94–103.
- Correia, A. M. (2006). Seasonal and interspecific evaluation of predation by mammals and birds on the introduced red swamp crayfish *Procambarus clarkii* (Crustacea, Cambaridae) in a freshwater marsh (Portugal). *Journal of Zoology*, 255(4), 533–541. doi:10.1017/S0952836901001625
- Costa, J. C. (2001). Tipos de vegetação e adaptações das plantas do litoral de Portugal continental. Homenagem (in Honorio) Professor Doutor Soares de Carvalho.
- Costa, J. C., Capelo, J., Espírito Santo, M. D., Lousã, M., Monteiro, A., Mesquita, S., ... Moreira, I. (1999). Plant communities of the lagoons of the Portuguese Coastal Superdistrict - A multivariate approach. *Hydrobiologia*, 415, 67–75. doi:10.1023/A:1003828510253
- Costa, J. C., Lousã, M., Capelo, J., Espírito-Santo, M. D., Izco, J., & Ladero, M. (2000). The coastal vegetation of the Portuguese Divisory Sector: dunes, cliffs and low-scrub communities. *Finisterra*, {XXXV}(69), 69–93. doi:citeulike-article-id:9981980
- Cottenie, K., Michels, E., Nuytten, N., & Meester, L. de. (2003). Zooplankton Metacommunity Structure: Regional vs. Local Processes in Highly Interconnected Ponds. *Ecology*, 84(4), 991–1000.
- Cox, N. (2006). The Status and Distribution of Reptiles and Amphibians of the Mediterranean Basin. *The World Conservation Union (IUCN), Gland, Switzerland and Cambridge, UK*.
- Crespí, A., Bernardos, S., Castro, A., Fernandes, C. P., & Amich, F. (2005). Phytostructural characterization of several vegetation types in northern Portugal. II. The structural expressivity and the resistance of the vegetation. *Plant Biosystems - An International Journal Dealing with All Aspects of Plant Biology*, 139(3), 387–398. doi:10.1080/11263500500333651
- Crivelli, A., Seitz, A., Jakob, C., & Miaud, C. (2002). Growth cycle of the marbled newt (*Triturus marmoratus*) in the Mediterranean region assessed by skeletochronology. *Amphibia-Reptilia*, 23(4), 407–418. doi:10.1163/15685380260462329

- Croel, R. C., & Kneitel, J. M. (2011a). Cattle waste reduces plant diversity in vernal pool mesocosms. *Aquatic Botany*, 95(2), 140–145. doi:10.1016/j.aquabot.2011.05.003
- Croel, R. C., & Kneitel, J. M. (2011b). Ecosystem-level effects of bioturbation by the tadpole shrimp *Lepidurus packardii* in temporary pond mesocosms. *Hydrobiologia*, 665(1), 169–181. doi:10.1007/s10750-011-0620-9
- Crosslé, K., & Brock, M. A. (2002). How do water regime and clipping influence wetland plant establishment from seed banks and subsequent reproduction? *Aquatic Botany*, 74(1), 43–56. doi:10.1016/S0304-3770(02)00034-7
- Crowe, E. a, Busacca, a J., Reganold, J. P., & Zamora, B. A. (1994). Vegetation Zones and Soil Characteristics in Vernal Pools in the Channeled Scabland of Eastern Washington. *Great Basin Naturalist*, 54(3), 234–247.
- Cruz, M. J., & Rebelo, R. (2007). Colonization of freshwater habitats by an introduced crayfish, *Procambarus clarkii*, in Southwest Iberian Peninsula. *Hydrobiologia*, 575(1), 191–201. doi:10.1007/s10750-006-0376-9
- Cruz, M. J., Segurado, P., Sousa, M., & Rebelo, R. (2008). Collapse of the amphibian community of the paul do boquilobo natural reserve (central Portugal) after the arrival of the exotic american crayfish *procambarus clarkii*. *Herpetological Journal*, 18(4), 197–204.
- Culioli, J. L., Foata, J., Mori, C., Orsini, A., & Marchand, B. (2006). Temporal succession of the macroinvertebrate fauna in a Corsican temporary pond. *Vie et Milieu*, 56(3), 215–221.
- Cushman, S. A. (2006). Effects of habitat loss and fragmentation on amphibians: A review and prospectus. *Biological Conservation*, 128(2), 231–240. doi:10.1016/j.biocon.2005.09.031
- Daim, T. (2006). Underwriting the Internet—How Technical Advances, Financial Engineering and Entrepreneurial Genius are Building the Information Highway. *Technological Forecasting and Social Change*, 73(3), 316–317. doi:10.1016/j.techfore.2006.01.007
- Daoud-Bouattour, A., Bottollier-Curtet, M., Jamaa, H. F. Ben, Ghrabi-Gammar, Z., Saad-Limam, S. Ben, Rhazi, L., & Muller, S. D. (2014). Effects of hydrology on recruitment of *Pilularia minuta* Durieu (Marsileaceae), an endangered plant of Mediterranean temporary pools. *Aquatic Botany*, 112, 76–83. doi:10.1016/j.aquabot.2013.08.001
- Daoud-Bouattour, A., Muller, S. D., Jamaa, H. F. Ben, Ghrabi-Gammar, Z., Rhazi, L., Gammar, A. M., ... Saad-Limam, S. Ben. (2009). Recent discovery of the small pillwort (*Pilularia minuta* Durieu, Marsileaceae) in Tunisia: Hope for an endangered emblematic species of Mediterranean temporary pools? *Comptes Rendus - Biologies*, 332(10), 886–897. doi:10.1016/j.crv.2009.07.004

- Daoud-Bouattour, A., Muller, S. D., Jamaa, H. F. Ben, Saad-Limam, S. Ben, Rhazi, L., Soulié-Märsche, I., ... Ghrabi-Gammar, Z. (2011). Conservation of Mediterranean wetlands: Interest of historical approach. *Comptes Rendus - Biologies*, 334, 742–756. doi:10.1016/j.crv.2011.07.006
- Davies, B., Biggs, J., Williams, P., Whitfield, M., Nicolet, P., Sear, D., ... Maund, S. (2008). Comparative biodiversity of aquatic habitats in the European agricultural landscape. *Agriculture, Ecosystems & Environment*, 125(1-4), 1–8. doi:10.1016/j.agee.2007.10.006
- Davies, B. R., Biggs, J., Williams, P. J., Lee, J. T., & Thompson, S. (2008). A comparison of the catchment sizes of rivers, streams, ponds, ditches and lakes: Implications for protecting aquatic biodiversity in an agricultural landscape. *Hydrobiologia*, 597(1), 7–17. doi:10.1007/s10750-007-9227-6
- De Block, M., Geenen, S., Jordaens, K., Backeljau, T., & Stoks, R. (2005). Spatiotemporal allozyme variation in the damselfly, *Lestes viridis* (Odonata: Zygoptera): Gene flow among permanent and temporary ponds. *Genetica*, 124(2), 137–144. doi:10.1007/s10709-005-0623-4
- De Block, M., McPeck, M. A., & Stoks, R. (2008). Life-History Evolution When *Lestes* Damselflies Invaded Vernal Ponds. *Evolution*, 62(2), 485–493. doi:10.1111/j.1558-5646.2007.00283.x
- De Carvalho, C. C. C. R., & Caramujo, M. J. (2014). Fatty acids as a tool to understand microbial diversity and their role in food webs of mediterranean temporary ponds. *Molecules*, 19(5), 5570–5598. doi:10.3390/molecules19055570
- De Meester, L., Declerck, S., Stoks, R., Louette, G., Van De Meutter, F., De Bie, T., ... Brendonck, L. (2005). Ponds and pools as model systems in conservation biology, ecology and evolutionary biology. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 15(6), 715–725. doi:10.1002/aqc.748
- De Weese, J. M. (1996). Vernal Pool Construction Monitoring Methods and Habitat Replacement Evaluation. In *Ecology, Conservation, and Management of Vernal Pool Ecosystems – Proceedings from a 1996 Conference*. California Native Plant Society, Sacramento, CA. 1998. (Vol. 95825, pp. 217–223).
- Deil, U. (2005). A review on habitats, plant traits and vegetation of ephemeral wetlands – a global perspective. *Phytocoenologia*, 35(2), 533–706. doi:10.1127/0340-269X/2005/0035-0533
- DeKeyser, E. S., Kirby, D. R., & Ell, M. J. (2003). An index of plant community integrity: Development of the methodology for assessing prairie wetland plant communities. *Ecological Indicators*, 3(2), 119–133. doi:10.1016/S1470-160X(03)00015-3
- del Pozo, R., Fernandez-Alaez, C., Fernandez-Alaez, M., & Santiago, N. F. (2011). Assessment of eutrophication effects on charophytes in Mediterranean ponds (North-Western Spain). *Fundamental and Applied Limnology*, 178(3), 257–264. doi:10.1127/1863-9135/2011/0178-0257

- Della Bella, V., Bazzanti, M., & Chiarotti, F. (2005). Macroinvertebrate diversity and conservation status of Mediterranean ponds in Italy: water permanence and mesohabitat influence. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 15(6), 583–600. doi:10.1002/aqc.743
- Della Bella, V., Bazzanti, M., Dowgiallo, M. G., & Iberite, M. (2008). Macrophyte diversity and physico-chemical characteristics of Tyrrhenian coast ponds in central Italy: implications for conservation. *Hydrobiologia*, 597(1), 85–95. doi:10.1007/s10750-007-9216-9
- Denoël, M., & Lehmann, A. (2006). Multi-scale effect of landscape processes and habitat quality on newt abundance: Implications for conservation. *Biological Conservation*, 130(4), 495–504. doi:10.1016/j.biocon.2006.01.009
- Devictor, V., Moret, J., & Machon, N. (2007). Impact of ploughing on soil seed bank dynamics in temporary pools. *Plant Ecology*, 192(1), 45–53. doi:10.1007/s11258-006-9225-1
- Diaz-Espejo, A., Serrano, L., & Toja, J. (1999). Changes in sediment phosphate composition of seasonal ponds during filling. *Hydrobiologia*, 392 I, 21–28. doi:10.1023/A:1003557408640
- Diaz-Paniagua, C. (1988). Temporal segregation in larval amphibian communities in temporary ponds at a locality in SW Spain. *Amphibia-Reptilia*, 9, 15–26. doi:10.1163/156853888x00161
- Diaz-Paniagua, C. (1992). Variability in timing of larval season in an amphibian community in SW Spain. *Ecography*, 15(3), 267–272. doi:10.1111/j.1600-0587.1992.tb00034.x
- Díaz-Paniagua, C., Fernandez-Zamudio, R., Florencio, M., Garcia-Murillo, P., Gómez-Rodríguez, C., Portheault, A., ... Gomez-Rodriguez, C. (2010). Temporary ponds from Doñana National Park: a system of natural habitats for the preservation of aquatic flora and fauna. *Limnetica*, 29(1), 41–58.
- Díaz-Paniagua, C., Keller, C., Florencio, M., Andreu, A. C., Portheault, A., Gómez-Rodríguez, C., & Gomez-Mestre, I. (2014). Rainfall stochasticity controls the distribution of invasive crayfish and its impact on amphibian guilds in Mediterranean temporary waters. *Hydrobiologia*, 728(1), 89–101. doi:10.1007/s10750-014-1808-6
- Díaz-paniagua, C., & Martín-franquelo, R. (2014). The dragonflies of Doñana : 1959- 2013. *Boletín Rola*, 4, 5–16.
- Díaz-Rodríguez, J., Gonçalves, H., Sequeira, F., Sousa-Neves, T., Tejedo, M., Ferrand, N., & Martínez-Solano, I. (2015). Molecular evidence for cryptic candidate species in Iberian Pelodytes (Anura, Pelodytidae). *Molecular Phylogenetics and Evolution*, 83, 224–241. doi:10.1016/j.ympev.2014.12.007
- Dimitriou, E. (2008). *Conservation plan for the Mediterranean Temporary Ponds habitat in W. Crete*.

- Dimitriou, E., Karaouzas, I., Skoulikidis, N., & Zacharias, I. (2006). Assessing the environmental status of Mediterranean temporary ponds in Greece. *Annales de Limnologie - International Journal of Limnology*, 42(1), 33–41. doi:10.1051/limn/2006004
- Dimitriou, E., Moussoulis, E., Stamati, F., & Nikolaidis, N. (2009). Modelling hydrological characteristics of Mediterranean Temporary Ponds and potential impacts from climate change. *Hydrobiologia*, 634(1), 195–208. doi:10.1007/s10750-009-9898-2
- Dimitriou, E., Skoulikidis, N., Nikolaidis, N., & Zacharias, I. (2006). Groundwater risk mapping for environmental conservation in Crete Island. *Proceedings of the International Conference on Protection and Restoration of the Environment VIII*.
- Doran, B. R., & Lewis, D. J. (2003). The species composition and seasonal distribution of mosquitoes in vernal pools in suburban Montreal, Quebec. *Journal of the American Mosquito Control Association*, 19(4), 339–346.
- Dougherty, W. J., Nicholls, P. J., Milham, P. J., Havilah, E. J., & Lawrie, R. A. (2007). Phosphorus fertilizer and grazing management effects on phosphorus in runoff from dairy pastures. *Journal of Environmental Quality*, 37(2), 417–28. doi:10.2134/jeq2007.0049
- Dudgeon, D. (2010). Prospects for sustaining freshwater biodiversity in the 21st century: linking ecosystem structure and function. *Current Opinion in Environmental Sustainability*, 2(5-6), 422–430. doi:10.1016/j.cosust.2010.09.001
- Dudgeon, D., Arthington, A. H., Gessner, M. O., Kawabata, Z.-I., Knowler, D. J., Lévêque, C., ... Sullivan, C. A. (2006). Freshwater biodiversity: importance, threats, status and conservation challenges. *Biological Reviews of the Cambridge Philosophical Society*, 81(2), 163–182. doi:10.1017/S1464793105006950
- Dufrêne, M., & Legendre, P. (1997). Species Assemblages and Indicator Species: the Need for a Flexible Asymmetrical Approach. *Ecological Monographs*, 67(3), 345–366. doi:10.1890/0012-9615(1997)067[0345:SAAST]2.0.CO;2
- Edwardsen, A., & Økland, R. H. (2006). Variation in plant species richness in and adjacent to 64 ponds in SE Norwegian agricultural landscapes. *Aquatic Botany*, 85(2), 79–91. doi:10.1016/j.aquabot.2006.01.014
- El, F. (2009). Contribución al conocimiento de la flora y vegetación de los humedales temporales del noroeste de Marruecos. *LAZAROA*, 30, 251–259.
- Elam, D. R. (1998). Population genetics of vernal pool plants: theory, data and conservation implications. ... , *Conservation and Management of Vernal Pool ...*, 180–189.
- Elkhiati, N., Ramdani, M., Espinar, J. L., Fahd, K., & Serrano, L. (2013). Ecological similarities between two Mediterranean wetlands: Sidi Boughaba (North-West Morocco) and the Doñana National Park (South-West Spain). *Journal of Limnology*, 72(2), 301–312. doi:10.4081/jlimnol.2013.e24

- Emery, N. C., Stanton, M. L., & Rice, K. J. (2009). Factors driving distribution limits in an annual plant community. *New Phytologist*, 181(3), 734–747. doi:10.1111/j.1469-8137.2008.02676.x
- Emery, N. C., Torres-martinez, L., Forrestel, E., Baldwin, B. G., & Ackerly, D. D. (2012). The Ecology, Evolution, and Diversification of the Vernal Pool Niche in *Lasthenia* (Madieae, Asteraceae).
- Enriquez-Urzelai, U., San Sebastián, O., Garriga, N., & Llorente, G. A. (2013). Food availability determines the response to pond desiccation in anuran tadpoles. *Oecologia*, 173(1), 117–127. doi:10.1007/s00442-013-2596-9
- EPCN (2010). European Pond Conservation Network Newsletter No. 5 Special Edition 2010 Temporary Ponds in North Africa Focus on temporary ponds in North Africa. *European Pond Conservation Network Newsletter*.
- Ernandes, P., Beccarisi, L., & Zucarello, V. (2008). Morphometric analysis about the genus *Isoetes* in Puglia and observations on its distribution.
- Ernandes, P., Beccarisi, L., & Zuccarello, V. (2010). A new species of *Isoetes* (Isoëtaceae, Pteridophyta) for the Mediterranean. *Plant Biosystems - An International Journal Dealing with All Aspects of Plant Biology*, 144(4), 805–813. doi:10.1080/11263504.2010.518414
- Ernandes, P., & Marchiori, S. (2012). Willd.: Morphological and anatomical observations concerning a small population in a Mediterranean temporary pond in Puglia. *Plant Biosystems - An International Journal Dealing with All Aspects of Plant Biology*, 146(sup1), 131–136. doi:10.1080/11263504.2012.667004
- Ernandes, P., & Marchiori, S. (2013). Mediterranean temporary ponds in Puglia (South Italy): a “*joyau floristique*” to protect. *Acta Botanica Gallica*, 160(1), 53–64. doi:10.1080/12538078.2013.773461
- Erwin, K. L. (2009). Wetlands and global climate change: the role of wetland restoration in a changing world. *Wetlands Ecology and Management*, 17(1), 71–84. doi:10.1007/s11273-008-9119-1
- Escoriza, D., & Boix, D. (2012). Assessing the potential impact of an invasive species on a Mediterranean amphibian assemblage: A morphological and ecological approach. *Hydrobiologia*, 680(1), 233–245. doi:10.1007/s10750-011-0936-5
- Escoriza, D., & Boix, D. (2014). Reproductive habitat selection in alien and native populations of the genus *Discoglossus*. *Acta Oecologica*, 59(July 2015), 97–103. doi:10.1016/j.actao.2014.06.005
- Espinar, J. L., & Serrano, L. (2009). A quantitative hydrogeomorphic approach to the classification of temporary wetlands in the Doñana National Park (SW Spain). *Aquatic Ecology*, 43(2), 323–334. doi:10.1007/s10452-007-9162-7
- Estaún, I. (2015). Una dècada de conservació de la biodiversitat a Menorca amb el suport del programa LIFE.

- Estaún, I., & Fraga, P. (2015). Restauración ambiental de espacios de la Red Natura de Menorca: experiencias en el contexto del proyecto LIFE + RENEIX Restauración ambiental de espacios de la Red Natura de Menorca: experiencias en el contexto del proyecto LIFE + RENEIX *. *Boletín Europarc*, 37(September), 8–11.
- Evans, D., & Arvela, M. (2011). *Assessment and reporting under Article 12 of the Birds Directive Explanatory Notes & Guidelines for the period 2008-2012*.
- Ewald, N., Nicolet, P., Oertli, B., Della Bella, V., Rhazi, L., Reymond, A.-S., ... Serrano, L. (2010). A preliminary assessment of Important Areas for Ponds (IAPs) in the Mediterranean Basin and Alpine Arc, (September 2015), 41.
- Faccio, S. D. (2003). Postbreeding Emigration and Habitat Use by Jefferson and Spotted Salamanders in Vermont. *Journal of Herpetology*, 37(3), 479–489. doi:10.1670/155-02A
- Fahd, K., Arechederra, A., Florencio, M., León, D., & Serrano, L. (2009). Copepods and branchiopods of temporary ponds in the Doñana Natural Area (SW Spain): A four-decade record (1964-2007). *Hydrobiologia*, 634(1), 219–230. doi:10.1007/s10750-009-9889-3
- Fahd, K., Serrano, L., & Toja, J. (2000). Crustacean and rotifer composition of temporary ponds in the Doñana National Park (SW Spain) during floods. *Hydrobiologia*, 436, 41–49. doi:10.1023/A:1026577619151
- Fahd, K., Florencio, M., Keller, C., & Serrano, L. (2007). The effect of the sampling scale on zooplankton community assessment and its implications for the conservation of temporary ponds in south-west Spain. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 17, 175–193.
- Faist, A. M., Ferrenberg, S., & Collinge, S. K. (2013). Banking on the past: seed banks as a reservoir for rare and native species in restored vernal pools. *AoB PLANTS*, 5(0), plt043–plt043. doi:10.1093/aobpla/plt043
- Farinha, J. C., Machado, M., Fonseca, L. C. da, Beja, P., Cristo, M., Alcazar, R., ... Ferreira, M. (2007). A problemática das lagoas temporárias em Portugal. In *Simposi científic sobre gertió i cinservació de llacunes temporànies mediterrànies*. doi:10.13140/2.1.3003.2324
- Fennessy, M. S., Jacobs, A. D., Kentula, M. E., & Control, E. (2004). *Review of Rapid Methods for assessing wetland condition*.
- Fernández, A. I., Viedma, O., Sánchez-Carrillo, S., Alvarez-Cobelas, M., & Angeler, D. G. (2009). Local and landscape effects on temporary pond zooplankton egg banks: Conservation implications. *Biodiversity and Conservation*, 18(9), 2373–2386. doi:10.1007/s10531-009-9594-6
- Fernández-Aláez, M., & Fernández-Aláez, C. (2010). Effects of the intense summer desiccation and the autumn filling on the water chemistry in some Mediterranean ponds. *Limnetica*, 29(1), 59–74.

- Ferreira, M. (2012). "Multi-species occupancy modeling of natural and anthropogenic habitats by Mediterranean amphibians: grim prospects for conservation in irrigated farmland."
- Ferreira, M., & Beja, P. (2013). Mediterranean amphibians and the loss of temporary ponds: Are there alternative breeding habitats? *Biological Conservation*, 165, 179–186. doi:10.1016/j.biocon.2013.05.029
- Ferren Jr, W. R., Hubbard, D. M., Wiseman, S., Parikh, A. K., & Gale, N. (1996). Review of ten years of vernal pool restoration and creation in Santa Barbara, California. In *Ecology, Conservation, and Management of Vernal Pool Ecosystems, Proceedings from a 1996 Conference* (pp. 206–216).
- Fish, U. S., & Service, W. (1994). Determination of Available Credits and Service Areas for ESA 1 Vernal Pool Preservation Banks. In *Ecology, Conservation, and Management of Vernal Pool Ecosystems - Proceedings from a 1996 Conference* (Vol. 6340, pp. 274–281).
- Fish, U. S., Service, W., National, S., & Refuge, W. (1990). Avian Uses of Vernal Pools and Implications for Conservation Practice. *Ecosystems*, 95988, 92–106.
- Fisher, R. N., & Shaffer, H. B. (1996). The Decline of Amphibians in California ' s Great Central Valley. *Conservation Biology*, 10(5), 1387–1397.
- Fiton, J. (1916). *Elatine brochonii* Clavaud. *Acta Botanica Malacitana*, 6(6), 28–30.
- Flenner, I., Richter, O., & Suhling, F. (2010). Rising temperature and development in dragonfly populations at different latitudes. *Freshwater Biology*, 55(2), 397–410. doi:10.1111/j.1365-2427.2009.02289.x
- Florencio, M., Díaz-Paniagua, C., Gomez-Mestre, I., & Serrano, L. (2012). Sampling macroinvertebrates in a temporary pond: Comparing the suitability of two techniques to detect richness, spatial segregation and diel activity. *Hydrobiologia*, 689(1), 121–130. doi:10.1007/s10750-011-0690-8
- Florencio, M., Díaz-Paniagua, C., Gómez-Rodríguez, C., & Serrano, L. (2014). Biodiversity patterns in a macroinvertebrate community of a temporary pond network. *Insect Conservation and Diversity*, 7(1), 4–21. doi:10.1111/icad.12029
- Florencio, M., Gómez-Rodríguez, C., Serrano, L., & Díaz-Paniagua, C. (2013). Competitive exclusion and habitat segregation in seasonal macroinvertebrate assemblages in temporary ponds. *Freshwater Science*, 32(2), 650–662. doi:10.1899/12-105.1
- Florencio, M., Serrano, L., Gómez-Rodríguez, C., Millán, A., & Díaz-Paniagua, C. (2009). Inter- and intra-annual variations of macroinvertebrate assemblages are related to the hydroperiod in Mediterranean temporary ponds. *Hydrobiologia*, 634(1), 167–183. doi:10.1007/s10750-009-9897-3
- Florencio, M., Serrano, L., Siljestrom, P., Fernández-Zamudio, R., García-Murillo, P., & Díaz-Paniagua, C. (2014). The influence of geomorphology on the composition of aquatic flora and fauna within a temporary pond network. *Limnetica*, 33(2), 327–340.

- Fonseca, L. C. Da, MaChado, M., & Cristo, M. (1999). Non-Cladoceran Branchiopod Crustaceans From Southwest Portugal. I. Occurrence Notes. *Crustaceana*, 72(6), 591–602. doi:10.1163/156854099503636
- Fos Martín, S., Bretón, C. P., Cruz, S. de la, & Torró, V. I. D. (2008). Redescubrimiento de *Littorela uniflora* (L.) Asch. en los lavajos de Sinarcas (Valencia). *Flora Montiberica*, 39, 46–49.
- Foteinis, S., Mpizoura, K., Panagopoulos, G., Chatzisyneon, E., Kallithrakas-Kontos, N., & Manutsoglu, E. (2014). A novel use of the caesium-137 technique to estimate human interference and historical water level in a Mediterranean Temporary Pond. *Journal of Environmental Radioactivity*, 127, 75–81. doi:10.1016/j.jenvrad.2013.10.007
- Fraga i Arguimbau, P. (2008). Vascular flora associated to Mediterranean temporary ponds on the island of Minorca. *Anales Del Jardín Botánico de Madrid*, 65(2), 393–414. doi:10.3989/ajbm.2008.v65.i2.302
- Fraga, P. (2009). Vascular flora associated to Mediterranean temporary ponds in Minorca Pere Fraga i Arguimbau Documents tècnics , 21. *Projecte LIFE BASSES*.
- Fraga, P., Cardona, E., Canals, A., Estaún, I., Mascaró, J., Torres, E., & Juaneda, J. (2008). Role of Mediterranean Temporary Ponds in the Conservation of Threatened Plant Species in Minorca (Balearic Islands , Spain).
- Fraga, P., & Outros. (2009). Catálogo de estanques temporales de la Isla de Menorca.
- Francl, K. E. (2005). Bat activity in woodland vernal pools. *Report Prepared for USDA Forest Service, Ottawa ...*, (April), 26.
- Francl, K. E. (2008). Summer bat activity at Woodland seasonal pools in the northern Great Lakes region. *Wetlands*, 28(1), 117–124. doi:10.1672/07-104.1
- Freeman, R. C., & Bell, K. P. (2011). Conservation versus cluster subdivisions and implications for habitat connectivity. *Landscape and Urban Planning*, 101(1), 30–42. doi:10.1016/j.landurbplan.2010.12.019
- Freidenfelds, N. A., Purrenhage, J. L., & Babbitt, K. J. (2011). The effects of clearcuts and forest buffer size on post-breeding emigration of adult wood frogs (*Lithobates sylvaticus*). *Forest Ecology and Management*, 261(11), 2115–2122. doi:10.1016/j.foreco.2011.03.005
- Freitas, M. C., Andrade, C., & Cruces, A. (2002). The geological record of environmental changes in southwestern Portuguese coastal lagoons since the Lateglacial. *Quaternary International*, 93-94, 161–170. doi:10.1016/S1040-6182(02)00014-9
- Frisch, D., Moreno-Ostos, E., & Green, A. J. (2006). Species richness and distribution of copepods and cladocerans and their relation to hydroperiod and other environmental variables in Doñana, south-west Spain. *Hydrobiologia*, 556(1), 327–340. doi:10.1007/s10750-005-1305-z

- Frisch, D., & Wohltmann, A. (2005). The bag-sampler: A simple device for collecting zooplankton in shallow vegetated ponds. *International Review of Hydrobiology*, 90(5-6), 596–602. doi:10.1002/iroh.200510825
- Fromin, N., Pinay, G., Montuelle, B., Landais, D., Ourcival, J. M., Joffre, R., & Lensi, R. (2010). Impact of seasonal sediment desiccation and rewetting on microbial processes involved in greenhouse gas emissions. *Ecohydrology*, 3(3), 339–348. doi:10.1002/eco.115
- Fuentes-Rodríguez, F., Juan, M., Gallego, I., Lusi, M., Fenoy, E., León, D., ... Casas, J. J. (2013). Diversity in Mediterranean farm ponds: trade-offs and synergies between irrigation modernisation and biodiversity conservation. *Freshwater Biology*, 58(1), 63–78. doi:10.1111/fwb.12038
- Gaikwad, S. R., Ingle, K. N., & Thorat, S. R. (2008). e C o. *Journal of Environmental Biology*, 29(May), 353–356.
- Gallardo, B., Gascón, S., Quintana, X., & Comín, F. A. (2011). How to choose a biodiversity indicator – Redundancy and complementarity of biodiversity metrics in a freshwater ecosystem. *Ecological Indicators*, 11(5), 1177–1184. doi:10.1016/j.ecolind.2010.12.019
- Gallego-Fernández, J. B., García-Mora, M. R., & García-Novo, F. (1999). Small wetlands lost: a biological conservation hazard in Mediterranean landscapes. *Environmental Conservation*, 26(3), S0376892999000272. doi:10.1017/S0376892999000272
- Gamble, D. L., & Mitsch, W. J. (2009). Hydroperiods of created and natural vernal pools in central Ohio: A comparison of depth and duration of inundation. *Wetlands Ecology and Management*, 17(4), 385–395. doi:10.1007/s11273-008-9115-5
- Garc, F. A., & Rivas, A. S. (1985). APORTACIONES AL Conocimiento de la Flora Del Sistema Ibérico , I : Plantas de Sierra Cebollera Dirigidos en la actualidad parte de nuestros esfuerzos profesionales al estudio de la flora del Sistema Ibérico , y de manera principal su sector norte , contin. *Anales Del Jardín Botánico de Madrid*, 41(2), 381–393.
- García-de-lomas, J., Sala, J., & Alonso, M. (2015a). Orden Notostraca. *Revista IDE@- SEA*, 71, 1–10.
- García-de-lomas, J., Sala, J., & Alonso, M. (2015b). Orden Spinicaudata. *Revista IDE@- SEA*, 68, 1–11.
- García-de-lomas, J., Sala, J., García, C. M., & Alonso, M. (2015). Orden Anostraca. *Revista IDE@- SEA*, 67, 1–12.
- García-de-Lomas, J., Torres, J. M., Reques, R., & Hernández, I. (2012). Pleurodeles waltl Newt Larvae Diet Regarding Available Prey: Choice or Mere Coincidence? *Copeia*, 2012(4), 756–761. doi:10.1643/CE-11-032

- García-Muñoz, E., Donaire-Barroso, D., Tejedo, M., Ceacero, F., & Beltrán, J. F. (2010). On the occurrence of facultative paedomorphosis in the three newt species of Southern Iberian Peninsula (Amphibia, Salamandridae). *Amphibia-Reptilia*, *31*(4), 571–575. doi:10.1163/017353710X521528
- García-Muñoz, E., Gilbert, J. D., Parra, G., & Guerrero, F. (2010). Wetlands classification for amphibian conservation in Mediterranean landscapes. *Biodiversity and Conservation*, *19*(3), 901–911. doi:10.1007/s10531-009-9747-7
- Garmendia, Alfonso, and J. P.-M. (2010). Simulation model comparing the hydroperiod of temporary ponds with different shapes. *Limnetica*, *29*(1), 145–152.
- Gascón, S., Boix, D., & Sala, J. (2009). Are different biodiversity metrics related to the same factors? A case study from Mediterranean wetlands. *Biological Conservation*, *142*(11), 2602–2612. doi:10.1016/j.biocon.2009.06.008
- Gascón, S., MacHado, M., Sala, J., Cancela Da Fonseca, L., Cristo, M., & Boix, D. (2012). Spatial characteristics and species niche attributes modulate the response by aquatic passive dispersers to habitat degradation. *Marine and Freshwater Research*, *63*(Mura 1999), 232–245. doi:10.1071/MF11160
- Gauthier, P., Debussche, M., & Thompson, J. D. (2010). Regional priority setting for rare species based on a method combining three criteria. *Biological Conservation*, *143*(6), 1501–1509. doi:10.1016/j.biocon.2010.03.032
- Gauthier, P., Foulon, Y., Jupille, O., & Thompson, J. D. (2013). Quantifying habitat vulnerability to assess species priorities for conservation management. *Biological Conservation*, *158*, 321–325. doi:10.1016/j.biocon.2012.08.012
- Geiger, W., Alcorlo, P., Baltanás, A., & Montes, C. (2005). Impact of an introduced Crustacean on the trophic webs of Mediterranean wetlands. *Issues in Bioinvasion Science*, *7*, 49–73. doi:10.1007/1-4020-3870-4_6
- Gerhardt, F., & Collinge, S. K. (2003). Exotic plant invasions of vernal pools in the Central Valley of California, USA. *Journal of Biogeography*, *30*(7), 1043–1052. doi:10.1046/j.1365-2699.2003.00911.x
- Gerhardt, F., & Collinge, S. K. (2007). Abiotic Constraints Eclipse Biotic Resistance in Determining Invasibility Along Experimental Vernal Pool Gradients. *Ecological Applications*, *17*(3), 922–933. doi:10.1890/05-1146
- Gerlach, J. D., Bushman, B. S., McKay, J. K., & Meimberg, H. (2009). Taxonomic Confusion Permits the Unchecked Invasion of Vernal Pools in California by Low Mannagrass (*Glyceria declinata*). *Invasive Plant Science and Management*, *2*(1), 92–97. doi:10.1614/IPSM-08-095.1
- Ghețu, D., & Costin, H. (2011). Water Quality Assessment using Benthic Macroinvertebrates in Wetlands and Ponds: Preliminary Study Case of Jijia and Miletin Ponds (ROSPA0042). *Recent Researches in Environment, Energy Planning and Pollution*, 111–114.

- Gherardi, F., & Acquistapace, P. (2007). Invasive crayfish in Europe: the impact of *Procambarus clarkii* on the littoral community of a Mediterranean lake. *Freshwater Biology*, 52(7), 1249–1259. doi:10.1111/j.1365-2427.2007.01760.x
- Ghosn, D., Vogiatzakis, I. N., Kazakis, G., Dimitriou, E., Moussoulis, E., Maliaka, V., & Zacharias, I. (2010). Ecological changes in the highest temporary pond of western Crete (Greece): past, present and future. *Hydrobiologia*, 648(1), 3–18. doi:10.1007/s10750-010-0143-9
- Gibbons, J. W., Winne, C. T., Scott, D. E., Willson, J. D., Glaudas, X., Andrews, K. M., ... Rothermel, B. B. (2006). Remarkable Amphibian Biomass and Abundance in an Isolated Wetland: Implications for Wetland Conservation. *Conservation Biology*, 20(5), 1457–1465. doi:10.1111/j.1523-1739.2006.00443.x
- Gibbs, J. P., & Reed, J. M. (2007). Population and Genetic Linkages of Vernal Pool-Associated Amphibians. In A. J. K. Calhoun & P. G. DeMaynadier (Eds.), *Science and Conservation of Vernal Pools in Northeastern North America* (pp. 149–167). CRC Press.
- Gigante, D., Maneli, F., & Venanzoni, R. (2013). Mediterranean temporary wet systems in inland Central Italy: ecological and phytosociological features. *Plant Sociology*, 50(2), 93–112. doi:10.7338/pls2013502/06
- Gilbert, J. D., De Vicente, I., Ortega, F., Jiménez-Melero, R., Parra, G., & Guerrero, F. (2014). A comprehensive evaluation of the crustacean assemblages in southern Iberian Mediterranean wetlands. *Journal of Limnology*, 73(AoP), 169–181. doi:10.4081/jlimnol.2014.993
- Godinho, S., Santos, A. P., & Sá-Sousa, P. (2011). Montado management effects on the abundance and conservation of reptiles in Alentejo, Southern Portugal. *Agroforestry Systems*, 82(2), 197–207. doi:10.1007/s10457-010-9346-3
- Gomez Rodriguez, C., & M., L. A. (2009). *Condicionantes ecológicos de la distribución de anfibios en el Parque Nacional de Doñana. Ciencias en Ambientales.*
- Gomez-Mestre, I., Kulkarni, S., & Buchholz, D. R. (2013). Mechanisms and consequences of developmental acceleration in tadpoles responding to pond drying. *PLoS ONE*, 8(12), 1–12. doi:10.1371/journal.pone.0084266
- Gomez-Mestre, I., Touchon, J. C., & Warkentin, K. M. (2006). Amphibian Embryo and Parental Defenses and a Larval Predator Reduce Egg Mortality From Water Mold. *Ecology*, 87(10), 2570–2581. doi:10.1890/0012-9658(2006)87[2570:AEAPDA]2.0.CO;2
- Gómez-Rodríguez, C., Bustamante, J., & Díaz-Paniagua, C. (2010). Evidence of hydroperiod shortening in a preserved system of temporary ponds. *Remote Sensing*, 2(6), 1439–1462. doi:10.3390/rs2061439
- Gómez-Rodríguez, C., Bustamante, J., Díaz-Paniagua, C., & Guisan, A. (2012). Integrating detection probabilities in species distribution models of amphibians breeding in Mediterranean temporary ponds. *Diversity and Distributions*, 18(3), 260–272. doi:10.1111/j.1472-4642.2011.00837.x

- Gómez-Rodríguez, C., Díaz-Paniagua, C., Bustamante, J., Portheault, A., & Florencio, M. (2010). Inter-annual variability in amphibian assemblages: Implications for diversity assessment and conservation. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 20(6), 668–677. doi:10.1002/aqc.1134
- Gómez-Rodríguez, C., Díaz-Paniagua, C., Bustamante, J., Serrano, L., & Portheault, A. (2010). Relative importance of dynamic and static environmental variables as predictors of amphibian diversity patterns. *Acta Oecologica*, 36(6), 650–658. doi:10.1016/j.actao.2010.10.002
- Gómez-Rodríguez, C., Díaz-Paniagua, C., Serrano, L., Florencio, M., & Portheault, A. (2009). Mediterranean temporary ponds as amphibian breeding habitats: The importance of preserving pond networks. *Aquatic Ecology*, 43(4), 1179–1191. doi:10.1007/s10452-009-9235-x
- Gómez-Rodríguez, C., Guisan, A., Díaz-Paniagua, C., & Bustamante, J. (2010). Application of Detection Probabilities to the Design of Amphibian Monitoring Programs in Temporary Ponds. *Annales Zoologici Fennici*, 47(5), 306–322. doi:10.5735/086.047.0502
- González-Bernáldez, F. (1992). Ecological aspects of wetland/groundwater relationships in Spain. *Limnetica*, 8, 11–26.
- Gonzalo, A., Cabido, C., López, P., & Martín, J. (2012). Conspecific alarm cues, but not predator cues alone, determine antipredator behavior of larval southern marbled newts, *Triturus pygmaeus*. *Acta Ethologica*, 15(2), 211–216. doi:10.1007/s10211-012-0123-3
- Gordon, S. P., Sloop, C. M., Davis, H. G., & Cushman, J. H. (2012). Population genetic diversity and structure of two rare vernal pool grasses in central California. *Conservation Genetics*, 13(1), 117–130. doi:10.1007/s10592-011-0269-y
- Graham, T. B. (2002). Survey of aquatic macroinvertebrates and amphibians at Wupatki National Monument, Arizona, USA: An evaluation of selected factors affecting species richness in ephemeral pools. *Hydrobiologia*, 486, 215–224. doi:10.1023/A:1021311120799
- Green, A. W., Hooten, M. B., Grant, E. H. C., & Bailey, L. L. (2013). Evaluating breeding and metamorph occupancy and vernal pool management effects for wood frogs using a hierarchical model. *Journal of Applied Ecology*, 50(5), 1116–1123. doi:10.1111/1365-2664.12121
- Griggs, F. T. (2000). Vina Plains Preserve: eighteen years of adaptive management. *Fremontia*, 27(4), 48–51.
- Grillas, P., Garcia-Murillo, P., Geertz-Hansen, O., Marbá, N., Montes, C., Duarte, C. M., ... Grossmann, A. (1993). Submerged macrophyte seed bank in a Mediterranean temporary marsh: abundance and relationship with established vegetation. *Oecologia*, 94, 1–6. doi:10.1007/BF00317293

- Grillas, P., Gauthier, P., Yavercovski, N., & Perennou, C. (2004a). *Mediterranean Temporary Ponds. Species information sheets* (Vol. 2).
- Grillas, P., Gauthier, P., Yavercovski, N., & Perennou, C. (2004b). *Mediterranean Temporary Pools Volume 1—Issues relating to conservation, functioning and management. Station biologique de la Tour du ...* (Vol. 1).
- Grillas, P., Rhazi, L., & Bagella, S. (2015). The plants of Mediterranean temporary pools: do we know enough for their conservation? In *International Symposium of Mediterranean Temporary Ponds* (p. 18).
- Guerry, A. D., & Hunter, M. L. (2002). Amphibian distributions in a landscape of forests and agriculture: An examination of landscape composition and configuration. *Conservation Biology*, 16(3), 745–754. doi:10.1046/j.1523-1739.2002.00557.x
- Gutiérrez-Estrada, J. C., & Bilton, D. T. (2010). A heuristic approach to predicting water beetle diversity in temporary and fluctuating waters. *Ecological Modelling*, 221(11), 1451–1462. doi:10.1016/j.ecolmodel.2010.03.007
- Gvoždík, V., Canestrelli, D., García-París, M., Moravec, J., Nascetti, G., Recuero, E., ... Kotlík, P. (2014). Speciation history and widespread introgression in the European short-call tree frogs (*Hyla arborea* sensu lato, *H. intermedia* and *H. sarda*). *Molecular Phylogenetics and Evolution*, 83C(December), 143–155. doi:10.1016/j.ympev.2014.11.012
- Hanes, T. H., & Stromberg, L. (1996). Hydrology of Vernal Pools on Non-Volcanic Soils in the Sacramento Valley. In *California Native Plant Society* (pp. 38–49).
- Harant, H., Quezel, P., & Rioux, J. (1950). L' *Isoetion* de la "Mare de Grammont." *Bulletin de La Société Botanique de France*, 97(7-9), 173–175. doi:10.1080/00378941.1950.10834798
- Hargiss, C. L. M., DeKeyser, E. S., Kirby, D. R., & Ell, M. J. (2008). Regional assessment of wetland plant communities using the index of plant community integrity. *Ecological Indicators*, 8(3), 303–307. doi:10.1016/j.ecolind.2007.03.003
- Harper, E. B., Rittenhouse, T. A. G., & Semlitsch, R. D. (2008). Demographic Consequences of Terrestrial Habitat Loss for Pool-Breeding Amphibians: Predicting Extinction Risks Associated with Inadequate Size of Buffer Zones. *Conservation Biology*, 22(5), 1205–1215. doi:10.1111/j.1523-1739.2008.01015.x
- Hart, D. D., & Calhoun, A. J. K. (2010). Rethinking the role of ecological research in the sustainable management of freshwater ecosystems. *Freshwater Biology*, 55, 258–269. doi:10.1111/j.1365-2427.2009.02370.x
- Hartel, T., Nemes, S., Cogălniceanu, D., Öllerer, K., Schweiger, O., Moga, C.-I., & Demeter, L. (2007). The effect of fish and aquatic habitat complexity on amphibians. *Hydrobiologia*, 583(1), 173–182. doi:10.1007/s10750-006-0490-8

- Hartel, T., & von Wehrden, H. (2013). Farmed Areas Predict the Distribution of Amphibian Ponds in a Traditional Rural Landscape. *PLoS ONE*, 8(5), e63649. doi:10.1371/journal.pone.0063649
- Hastings, A., & Wolin, C. L. (2015). Within-Patch Dynamics in a Metapopulation Author(s): Alan Hastings and Carole L. Wolin Source: *Ecology*, 70(5), 1261–1266.
- Hawksworth, D. L., & Bull, A. (2006). *Marine, Freshwater, and Wetlands Biodiversity Conservation. Libro* (Vol. 4). doi:10.1007/978-1-4020-5734-2
- Hayashi, M., & Van Der Kamp, G. (2000). Simple equations to represent the volume-area-depth relations of shallow wetlands in small topographic depressions. *Journal of Hydrology*, 237(1-2), 74–85. doi:10.1016/S0022-1694(00)00300-0
- Hecnar, S., & M'Closkey, R. (1996). Amphibian species richness and distribution in relation to pond water chemistry in south-western Ontario, Canada. *Freshwater Biology*, 36(1), 7–15. doi:10.1046/j.1365-2427.1996.00054.x
- Hector, A., & Bagchi, R. (2007). Biodiversity and ecosystem multifunctionality. *Nature*, 448(7150), 188–90. doi:10.1038/nature05947
- Heilmeyer, H., Durka, W., Voitke, M., & Hartung, W. (2005). Ephemeral pools as stressful and isolated habitats for the endemic aquatic resurrection plant *Chamaeigigas intrepidus*. *Phytocoenologia*, 35(2-3), 449–468. doi:10.1127/0340-269X/2005/0035-0449
- Heino, J., Parviainen, J., Paavola, R., Jehle, M., Louhi, P., & Muotka, T. (2005). Characterizing macroinvertebrate assemblage structure in relation to stream size and tributary position. *Hydrobiologia*, 539(1), 121–130. doi:10.1007/s10750-004-3914-3
- Hels, T., & Buchwald, E. (2001). The effect of road kills on amphibian populations. In *Biological Conservation* (Vol. 99, pp. 331–340).
- Hembree, D. I., Martin, L. D., & Hasiotis, S. T. (2004). Amphibian burrows and ephemeral ponds of the Lower Permian Speiser Shale, Kansas: Evidence for seasonality in the midcontinent. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 203(1-2), 127–152. doi:10.1016/S0031-0182(03)00664-3
- Hidding, B., Sarneel, J. M., & Bakker, E. S. (2014). Flooding tolerance and horizontal expansion of wetland plants: Facilitation by floating mats? *Aquatic Botany*, 113, 83–89. doi:10.1016/j.aquabot.2013.11.003
- Hill, N. M., & Keddy, P. A. (1992). Prediction of rarities from habitat variables: coastal plain plants on Nova Scotian lakeshores. *Ecology*, 73(5), 1852–1859. doi:10.2307/1940036
- Hobson, W. a, & Dahlgren, R. A. (1998). Soil forming processes in vernal pools of Northern California , Chico Area. In *Ecology, Conservation, and Management of Vernal Pool Ecosystems – Proceedings from a 1996 Conference* (Vol. 8627, pp. 24–37).
- Holland, R. F. (1998). Great Valley Vernal Pool Distribution , Photorevised 1996. In *Ecosystems* (pp. 71–75).

- Holland, R. F. (2009). *California's Great Valley Vernal Pool Habitat Status and Loss: Rephotorevised 2005*.
- Homan, R. N., Windmiller, B. S., & Reed, J. M. (2004). Critical Thresholds Associated With Habitat Loss for Two Vernal Pool-Breeding Amphibians. *Ecological Applications*, 14(5), 1547–1553. doi:10.1890/03-5125
- Hooper, D. U., Adair, E. C., Cardinale, B. J., Byrnes, J. E. K., Hungate, B. A., Matulich, K. L., ... O'Connor, M. I. (2012). A global synthesis reveals biodiversity loss as a major driver of ecosystem change. *Nature*, 486(7401), 105–108. doi:10.1038/nature11118
- Houlahan, J. E., Keddy, P. A., Makkay, K., & Findlay, C. S. (2006). The effects of adjacent land use on wetland species richness and community composition. *Wetlands*, 26(1), 79–96. doi:10.1672/0277-5212(2006)26[79:TEOALU]2.0.CO;2
- Ilhéu, M., Bernardo, J. M., & Fernandes, S. (2007). Predation of invasive crayfish on aquatic vertebrates : the effect of *Procambarus clarkii* on fish assemblages in Mediterranean temporary streams. *Biological Invaders in Inland Waters: Profiles, Distribution, and Threats*, 29, 543–558. doi:10.1007/978-1-4020-6029-8_29
- Incagnone, G., Marrone, F., Barone, R., Robba, L., & Naselli-Flores, L. (2015). How do freshwater organisms cross the “dry ocean”? A review on passive dispersal and colonization processes with a special focus on temporary ponds. *Hydrobiologia*, 750(1), 103–123. doi:10.1007/s10750-014-2110-3
- Indermuehle, N., Angélibert, S., Rosset, V., & Oertli, B. (2010). The pond biodiversity index “IBEM”: a new tool for the rapid assessment of biodiversity in ponds from Switzerland. Part 2. Method description and examples of application. *Limnetica*, 29(1), 105–120.
- Innis, S. a, Naiman, R. J., & Elliott, S. R. (2000). Indicators and assessment methods for measuring the ecological integrity of semi-aquatic terrestrial environments. *Hydrobiologia*, 422, 111–131. doi:10.1023/A:1017033226325
- Interpretation, A. P. (1998). Great Valley Vernal Pool Distribution , Photorevised 1996. *Ecosystems*, 71–75.
- Isbell, F., Calcagno, V., Hector, A., Connolly, J., Harpole, W. S., Reich, P. B., ... Loreau, M. (2011). High plant diversity is needed to maintain ecosystem services. *Nature*, 477(7363), 199–202. doi:10.1038/nature10282
- Isoetaceae, D. E. I. L., Prada, C., & Rollerf, C. H. (1900). El género *Isoetes* L. es cosmopolita y está representado por c . 150 táxones (TRYON & do principalmente en las adaptaciones al ha- llama la atención la escasez de rasgos diag- nósticos que se utilizan para la delimitación de los táxones . Los trabajos so. *Anales Jardín Botánico de Madrid*, 60(2), 371–386.
- J. Cruz, M., Rebelo, R., & G. Crespo, E. (2006). Effects of an introduced crayfish, *Procambarus clarkii*, on the distribution of south-western Iberian amphibians in their breeding habitats. *Ecography*, 29(3), 329–338. doi:10.1111/j.2006.0906-7590.04333.x

- Jakob, C., Miaud, C., Crivelli, A. J., & Veith, M. (2003). How to cope with periods of drought? Age at maturity, longevity, and growth of marbled newts (*Triturus marmoratus*) in Mediterranean temporary ponds. *Canadian Journal of Zoology*, *81*(2003), 1905–1911. doi:10.1139/Z03-164
- Jakob, C., Poizat, G., Veith, M., Seitz, A., & Crivelli, A. J. (2003). Breeding phenology and larval distribution of amphibians in a Mediterranean pond network with unpredictable hydrology. *Hydrobiologia*, *499*, 51–61. doi:10.1023/A:1026343618150
- Jalbert, J. (2013). *mares temporaires - Conservation of Mediterranean temporary ponds LIFE99 NAT/F/006304. Summary for Policymakers* (Vol. 1). doi:10.1017/CBO9781107415324.004
- Janssen, J. G. M. (1975). A simple clustering procedure for preliminary classification of very large sets of Phytosociological releves. *Vegetatio*, *30*(2), 67–71.
- Jansujwicz, J. S., Calhoun, A. J. K., & Lillieholm, R. J. (2013). The maine vernal pool mapping and assessment program: Engaging municipal officials and private landowners in community-based citizen science. *Environmental Management*, *52*(6), 1369–1385. doi:10.1007/s00267-013-0168-8
- Jeffries, M. (1994). Invertebrate communities and turnover in wetland ponds affected by drought. *Freshwater Biology*, *32*(3), 603–612. doi:10.1111/j.1365-2427.1994.tb01151.x
- Jeffries, M. J. (2011). The temporal dynamics of temporary pond macroinvertebrate communities over a 10-year period. *Hydrobiologia*, *661*(1), 391–405. doi:10.1007/s10750-010-0551-x
- Jenkins, C. L., McGarigal, K., & Gamble, L. R. (2002). A comparison of aquatic surveying techniques used to sample *Ambystoma opacum* larvae. *Herpetological Review*, *33*(1), 33–35.
- Jiawei, H., & Kamber, M. (2001). *Data mining: concepts and techniques*. San Francisco, CA, *itd: Morgan Kaufmann*. doi:10.1002/1521-3773(20010316)40:6<9823::AID-ANIE9823>3.3.CO;2-C
- Jocqué, M., Graham, T., & Brendonck, L. (2007). Local structuring factors of invertebrate communities in ephemeral freshwater rock pools and the influence of more permanent water bodies in the region. *Hydrobiologia*, *592*(1), 271–280. doi:10.1007/s10750-007-0766-7
- Jocqué, M., Riddoch, B. J., & Brendonck, L. (2007). Successional phases and species replacements in freshwater rock pools: Towards a biological definition of ephemeral systems. *Freshwater Biology*, *52*(9), 1734–1744. doi:10.1111/j.1365-2427.2007.01802.x
- Jocque, M., Vanschoenwinkel, B., & Brendonck, L. (2010). Freshwater rock pools: a review of habitat characteristics, faunal diversity and conservation value. *Freshwater Biology*, *55*, 1587–1602. doi:10.1111/j.1365-2427.2010.02402.x

- Johnson, P. T. (1999). The Effect of Trematode Infection on Amphibian Limb Development and Survivorship. *Science*, 284(5415), 802–804. doi:10.1126/science.284.5415.802
- Kagalou, I. I., Kosiori, A., & Leonardos, I. D. (2010). Assessing the zooplankton community and environmental factors in a Mediterranean wetland. *Environmental Monitoring and Assessment*, 170(1-4), 445–455. doi:10.1007/s10661-009-1245-6
- Kantrud, H. a, Krapu, G. L., & Swanson, G. A. (1989). Prairie Basin Wetlands of the Dakotas: A Community Profile. *Wildlife Research*, 85(September), 111.
- Kantrud, H. A., & Newton, W. E. (1996). A test of vegetation-related indicators of wetland quality in the prairie pothole region. *Journal of Aquatic Ecosystem Health*, 5(3), 177–191. doi:10.1007/BF00124105
- Karaouzas, I., Dimitriou, E., Lampou, A., & Colombari, E. (2015). Seasonal and spatial patterns of macroinvertebrate assemblages and environmental conditions in Mediterranean temporary ponds in Greece. *Limnology*, 16(1), 41–53. doi:10.1007/s10201-014-0437-0
- Karr, J. R., & Schlosser, I. J. (1978). Water Resources and the Land-Water Interface. *Science*, 201(4352), 229–234. doi:10.1126/science.201.4352.229
- Karraker, N. E., & Gibbs, J. P. (2009). Amphibian production in forested landscapes in relation to wetland hydroperiod: A case study of vernal pools and beaver ponds. *Biological Conservation*, 142(10), 2293–2302. doi:10.1016/j.biocon.2009.05.002
- Kavgaci, A., Čarni, A., Bařaran, S., Ali Bařaran, M., Kořir, P., Marinřek, A., & řilc, U. (2010). Vegetation of temporary ponds in cold holes in the Taurus mountain chain (Turkey). *Biologia*, 65(4), 621–629. doi:10.2478/s11756-010-0053-3
- Keddy, P., & Fraser, L. H. (2000). Four general principles for the management and conservation of wetlands in large lakes: The role of water levels, nutrients, competitive hierarchies and centrifugal organization. *Management*. doi:10.1046/j.1440-1770.2000.00111.x
- Keeley, J. E. (1981). Diurnal Acid Metabolism in Vernal Pool ISOETES (Isoetaceae). *Madrono*.
- Keeley, J. E. (1982). Distribution of Diurnal Acid Metabolism in the Genus Isoetes. *American Journal of Botany*. doi:10.2307/2443012
- Keeley, J. E. (1988). Anaerobiosis as a Stimulus to Germination in Two Vernal Pool Grasses. *American Journal of Botany*. doi:10.2307/2443777
- Keeley, J. E. (1988). Photosynthesis in Quillworts, or why are some aquatic plants similar to Cacti? *Plants. Today*.
- Keeley, J. E. (1990). Photosynthesis in vernal pool macrophytes: relation of structure and function. *Vernal Pool Plants-Their Habitat and Biology. Studies*
- Keeley, J. E. (1998). CAM photosynthesis in submerged aquatic plants. *The Botanical Review*. doi:10.1007/BF02856581

- Keeley, J. E. (1998). Diel acid fluctuations in C4 amphibious grasses. *Photosynthetica*. doi:10.1023/A:1006927327013
- Keeley, J. E. (1999). Photosynthetic pathway diversity in a seasonal pool community. *Functional Ecology*, 13(1), 106–118. doi:10.1046/j.1365-2435.1999.00294.x
- Keeley, J. E., & Sandquist, D. R. (1991). Diurnal photosynthesis cycle in CAM and non-CAM seasonal-pool aquatic macrophytes. *Ecology*, 72(2), 716–727. doi:10.2307/2937211
- Keeley, J. E., Sternberg, L. O., & Deniro, M. J. (1986). The use of stable isotopes in the study of photosynthesis in freshwater plants. *Aquatic Botany*, 26(July 2015), 213–223. doi:10.1016/0304-3770(86)90022-7
- Keeley, J. E., & Zedler, P. H. (1998). Characterization and Global Distribution of Vernal Pools. In *Ecology, Conservation, and Management of Vernal Pool Ecosystems – Proceedings from a 1996 Conference*. California Native Plant Society, Sacramento, CA. 1998. (Vol. 22230, pp. 1–14).
- Keeley, J., Morton, B., Babcock, B., Castillo, P., Fish, B., Jerauld, E., ... Steenwyk, G. Van. (1981). Dark CO2 Fixation and Diurnal Malic Acid Fluctuations in the Submerged-Aquatic Isoetes storkii. *Oecologia*, 48, 332–333.
- Kiesecker, J. M. (2002). Synergism between trematode infection and pesticide exposure: a link to amphibian limb deformities in nature? *Proceedings of the National Academy of Sciences of the United States of America*, 99(15), 9900–4. doi:10.1073/pnas.152098899
- King, J. (1998). Loss of diversity as a consequence of habitat destruction in California vernal pools. In *California Native Plant Society, Sacramento, California* (pp. 119–123).
- King, J. L., Simovich, M. A., & Brusca, R. C. (1996). Species richness, endemism and ecology of crustacean assemblages in northern California vernal pools. *Hydrobiologia*, 328(2), 85–116. doi:10.1007/BF00018707
- Kirchner, F., Ferdy, J. B., Andalo, C., Colas, B., & Moret, J. (2003). Role of corridors in plant dispersal: An example with the endangered *Ranunculus nodiflorus*. *Conservation Biology*, 17(2), 401–410. doi:10.1046/j.1523-1739.2003.01392.x
- Kittredge, D. B. J., & Parker, M. (1999). Massachusetts Forestry Best Management Practices Manual.
- Kneitel, J. M. (2014). Inundation timing, more than duration, affects the community structure of California vernal pool mesocosms. *Hydrobiologia*, 732, 1–13. doi:10.1007/s10750-014-1845-1
- Kneitel, J. M., & Lessin, C. L. (2010). Ecosystem-phase interactions: aquatic eutrophication decreases terrestrial plant diversity in California vernal pools. *Oecologia*, 163(2), 461–469. doi:10.1007/s00442-009-1529-0

- Knutson, M. G., Richardson, W. B., Reineke, D. M., Gray, B. R., Parmelee, J. R., & Weick, S. E. (2004). Agricultural Ponds Support Amphibian Populations. *Ecological Applications*, *14*(3), 669–684. doi:10.1890/02-5305
- Koch, W. (1926). Die Vegetationseinheiten Hochschule in. *Promotionsarbeit*, 447.
- Korfel, C. A., Mitsch, W. J., Hetherington, T. E., & Mack, J. J. (2010). Hydrology, Physiochemistry, and Amphibians in Natural and Created Vernal Pool Wetlands. *Restoration Ecology*, *18*(6), 843–854. doi:10.1111/j.1526-100X.2008.00510.x
- Korn, M., Green, A. J., Machado, M., García-De-Lomas, J., Cristo, M., Cancela Da Fonseca, L., ... Hundsdoerfer, A. K. (2010). Phylogeny, molecular ecology and taxonomy of southern Iberian lineages of *Triops mauritanicus* (Crustacea: Notostraca). *Organisms Diversity and Evolution*, *10*(5), 409–440. doi:10.1007/s13127-010-0026-y
- Korn, M., Marrone, F., Pérez-Bote, J. L., Machado, M., Cristo, M., Da Fonseca, L. C., & Hundsdoerfer, A. K. (2006). Sister species within the *Triops cancriformis* lineage (Crustacea, Notostraca). *Zoologica Scripta*, *35*(July), 301–322. doi:10.1111/j.1463-6409.2006.00230.x
- Kraft, N. J. B., Crutsinger, G. M., Forrestel, E. J., & Emery, N. C. (2014). Functional trait differences and the outcome of community assembly: an experimental test with vernal pool annual plants. *Oikos*, *123*(March), no-no. doi:10.1111/oik.01311
- Kulp, R. L., & Rabe, F. W. (1984). Free-swimming invertebrate communities of vernal pools in eastern Washington. *Northwest Science*, *58*(3), 177–186.
- La, E. N., & Valencia, P. D. E. (1978). Sobre La Vegetación De La Clase Isoeto-. *Anal. Inst. Bot. Cavanilles*, *223*, 219–223.
- Laguna, E. (2004). The plant micro-reserve initiative in the Valencian Community (Spain) and its use to conserve populations of crop wild relatives. *Crop Wild Relative*, *3627*(2), 10–13.
- Laguna, E. (2013). Landowner's engagement agreements and stewardship for micro-reserves conservation, (July 2015).
- Lahr, J. (1997). Ecotoxicology of organisms adapted to life in temporary freshwater ponds in arid and semi-arid regions. *Archives of Environmental Contamination and Toxicology*, *32*(1), 50–57. doi:10.1007/s002449900154
- Lathrop, R. G., Montesano, P., Tesauro, J., & Zarate, B. (2005). Statewide mapping and assessment of vernal pools: A New Jersey case study. *Journal of Environmental Management*, *76*(3), 230–238. doi:10.1016/j.jenvman.2005.02.006
- Laurila, A., Pakkasmaa, S., Crochet, P.-A., & Merilä, J. (2002). Predator-induced plasticity in early life history and morphology in two anuran amphibians. *Oecologia*, *132*(4), 524–530. doi:10.1007/s00442-002-0984-7

- Lavergne, S., Thuiller, W., Molina, J., & Debussche, M. (2005). Environmental and human factors influencing rare plant local occurrence, extinction and persistence: a 115-year study in the Mediterranean region. *Journal of Biogeography*, 32(5), 799–811. doi:10.1111/j.1365-2699.2005.01207.x
- Le Viol, I., Chiron, F., Julliard, R., & Kerbiriou, C. (2012). More amphibians than expected in highway stormwater ponds. *Ecological Engineering*, 47(OCTOBER), 146–154. doi:10.1016/j.ecoleng.2012.06.031
- Leck, M. A., & Brock, M. A. (2000). Ecological and evolutionary trends in wetlands: Evidence from seeds and seed banks in New South Wales, Australia and New Jersey, USA. *Plant Species Biology*, 15(2), 97–112. doi:10.1046/j.1442-1984.2000.00031.x
- Legal, M. (2010). Propuesta de plan de gestión de la red de estanques temporales de menorca.
- Lehtinen, R. M., & Galatowitsch, S. M. (2001). Colonization of Restored Wetlands by Amphibians in Minnesota. *The American Midland Naturalist*. doi:10.1674/0003-0031(2001)145[0388:CORWBA]2.0.CO;2
- Leibowitz, S. G. (2003). Isolated wetlands and their functions: An ecological perspective. *Wetlands*, 23(3), 517–531. doi:10.1672/0277-5212(2003)023[0517:IWATFA]2.0.CO;2
- Leibowitz, S. G., & Brooks, R. T. (2008). Hydrology and Landscape Connectivity of Vernal Pools. *Science and Conservation of Vernal Pools in Northeastern North America*, 31–53. doi:10.1201/9781420005394
- Leidy, R., & White, E. (1998). Toward an ecosystem approach to vernal pool compensation and conservation. In ... and Management of Vernal Pool Ecosystems. ... (Vol. 94105, pp. 263–273).
- Lemly, A. (1997). PROFILE: Risk Assessment as an Environmental Management Tool: Considerations for Freshwater Wetlands. *Environmental Management*, 21(3), 343–58. doi:10.1007/s002679900034
- León, D., Peñalver, P., Casas, J., Juan, M., Fuentes, F., Gallego, I., & Toja, J. (2010). Zooplankton richness in farm ponds of Andalusia (Southern Spain). A comparison with natural wetlands. *Limnetica*, 29(1), 153–162.
- Leong, J. M., & Thorp, R. W. (1999). Colour-coded sampling: The pan trap colour preferences of oligolectic and nonoligolectic bees associated with a vernal pool plant. *Ecological Entomology*, 24 (3), 329–335. doi:10.1046/j.1365-2311.1999.00196.x
- Levin, N., Watson, J. E. M., Joseph, L. N., Grantham, H. S., Hadar, L., Apel, N., ... Kark, S. (2013). A framework for systematic conservation planning and management of Mediterranean landscapes. *Biological Conservation*, 158, 371–383. doi:10.1016/j.biocon.2012.08.032

- Leyse, K. E., Lawler, S. P., & Strange, T. (2004). Effects of an alien fish, *Gambusia affinis*, on an endemic California fairy shrimp, *Linderiella occidentalis*: implications for conservation of diversity in fishless waters. *Biological Conservation*, *118*(1), 57–65. doi:10.1016/j.biocon.2003.07.008
- Lichko, L. E., & Calhoun, A. J. K. (2003). An Evaluation of Vernal Pool Creation Projects in New England: Project Documentation from 1991-2000. *Environmental Management*, *32*(1), 141–151. doi:10.1007/s00267-003-2967-9
- Lichvar, R. W., Lichvar, R. W., Finnegan, D. C., Finnegan, D. C., Newman, S., Newman, S., ... July, W. O. (2006). Delineating and Evaluating Vegetation Conditions of Vernal Pools Using Spaceborne and Airborne Remote Sensing Techniques, Beale Air Force Base, CA. *Director*.
- Limnolog, O. L. A. D. E. (1999). Volumen 16, 1999. *Limnetica*, *16*, 1–7.
- Lindquist, E. D., Foster, D. K., Wilcock, S. P., & Erikson, J. S. (2013). Rapid Assessment Tools for Conserving Woodland Vernal Pools in the Northern Blue Ridge Mountains. *The American Midland Naturalist*, *20*(3), 397–418. doi:10.1656/045.020.0303
- Lisóon, F., & Calvo, J. F. (2014). Bat Activity Over Small Ponds in Dry Mediterranean Forests: Implications for Conservation. *Acta Chiropterologica*, *16*(1), 95–101. doi:10.3161/150811014X683309
- Llorente, G., Richter-Boix, A., & Montori, A. (2006). Breeding phenology of an amphibian community in a Mediterranean area. *Amphibia-Reptilia*, *27*(4), 549–559. doi:10.1163/156853806778877149
- Lososova, Z., Danihelka, J., & Chytry, M. (2003). Seasonal dynamics and diversity of weed vegetation in tilled and mulched vineyards. *Biologia*, *58*(1), 49–57.
- Louette, G., & De Meester, L. (2005). High Dispersal Capacity of Cladoceran Zooplankton in Newly Founded Communities. *Ecology*, *86*(2), 353–359. doi:10.1890/04-0403
- Lougheed, V. L., & Chow-fraser, P. (2008). Development and Use of a Zooplankton Index of Wetland Quality in the Laurentian Great Lakes Basin Published by : Ecological Society of America. *Ecological Applications*, *12*(2), 474–486.
- Lukács, B. A., Sramkó, G., & Molnár V, A. (2013). Plant diversity and conservation value of continental temporary pools. *Biological Conservation*, *158*, 393–400. doi:10.1016/j.biocon.2012.08.024
- Lumbreras, A., Olives, A., Quintana, J. R., Pardo, C., & Molina, J. A. (2009). Ecology of aquatic *Ranunculus* communities under the Mediterranean climate. *Aquatic Botany*, *90*(1), 59–66. doi:10.1016/j.aquabot.2008.06.001
- Lumbreras, A., Pardo, C., & Molina, J. A. (2013). Bioindicator role of aquatic *Ranunculus* in Mediterranean freshwater habitats. *Aquatic Conservation: Marine and Freshwater Ecosystems*, *23*(4), 582–593. doi:10.1002/aqc.2327

- Lumbreras, A., Tahiri, H., Pinto-Cruz, C., Pardo, C., & Molina, J. A. (2012). Habitat Variation in Vernal Pool Ecosystems on Both Sides of the Strait of Gibraltar. *Journal of Coastal Research*, 284(SEPTEMBER), 1032–1039. doi:10.2112/JCOASTRES-D-10-00180.1
- Machado, M., & Sala, J. (2013). *Tanymastigites lusitanica* sp. nov. (Crustacea: Branchiopoda: Anostraca) from Portugal, first representative of the genus in Europe. *Zootaxa*, 3681(May), 501–523. doi:10.11646/zootaxa.3681.5.1
- Maclean, I. M. D., Bennie, J. J., Scott, A. J., & Wilson, R. J. (2012). A high-resolution model of soil and surface water conditions. *Ecological Modelling*, 237-238, 109–119. doi:10.1016/j.ecolmodel.2012.03.029
- Maes, J. (2013). A model for the assessment of habitat conservation status in the EU (p. 45). doi:10.2788/27866
- Maes, J., Paracchini, M. L., Zulian, G., Dunbar, M. B., & Alkemade, R. (2012). Synergies and trade-offs between ecosystem service supply, biodiversity, and habitat conservation status in Europe. *Biological Conservation*, 155(October 2015), 1–12. doi:10.1016/j.biocon.2012.06.016
- Mahon, K. I., Harrison, T. M., & Grove, M. (1998). The thermal and cementation histories of a sandstone petroleum reservoir, Elk Hills, California; Part 1, (super 40) Ar/ (super 39) Ar thermal history results. *Chemical Geology*, 152(3-4), 227–256. doi:-
- Malacitana, A. B. (1998). Acerca del género isoetes (isoetaceae) en aragón. *Acta Botanica Malacitana*, 23, 230–232.
- Manuel, V., & Silva, V. M. A. (2009). *Vegetação De Charcos E Cursos De Água Temporários*.
- Maqboul, A., Aoujdad, R., & Fadli, M. (2014). Distribution of freshwater snails in the temporary pond of Annasser in Ouergha watershed , Morocco. *International Journal of Fisheries and Aquatic Studies*, 2(3), 18–22.
- Marco, A., Quilchano, C., & Blaustein, A. R. (1999). Sensitivity to nitrate and nitrite in pond-breeding amphibians from the Pacific Northwest, USA. *Environmental Toxicology and Chemistry*, 18(12), 2836–2839. doi:10.1002/etc.5620181225
- Marrone, F. (2006). The microcrustacean fauna of Sicily and the Central Mediterranean Sea area - Current knowledge and gaps to be filled. *Polish Journal of Ecology*, 54(4), 681–685.
- Marrone, F., Barone, R., & Naselli Flores, L. (2006). Ecological characterization and cladocerans, calanoid copepods and large branchiopods of temporary ponds in a Mediterranean island (Sicily, southern Italy). *Chemistry and Ecology*, 22(August), S181–S190. doi:10.1080/02757540600557827
- Marrone, F., & Naselli-Flores, L. (2004). First record and morphological features of *Hemidiaptomus* (*Occidodiaptomus*) *ingens* (Gurney, 1909) (Copepoda Calanoida) in Italy. *Journal of Limnology*, 63(2), 250–255. doi:10.4081/jlimnol.2004.250
- Marsh, D. M., & Trenham, P. C. (2001). Metapopulation Dynamics and Amphibian Conservation. *Conservation Biology*, 15(1), 40–49.

- Martínez, S. R., & Sardinero, S. (1999). La vegetación herbácea vivaz climatófila supra y oromediterránea (Koelerio-Corynepherea) en Gredos occidental, Sistema Central, España. *Lazaroa*, 20, 55–69.
- Martínez-Sanz, C., Fernández-Aláez, C., & García-Criado, F. (2012). Richness of littoral macroinvertebrate communities in mountain ponds from NW Spain: What factors does it depend on? *Journal of Limnology*, 71(1), 154–163. doi:10.3274/JL12-71-1-12
- Martins, M. J. F., Vandekerkhove, J., Mezquita, F., Schmit, O., Rueda, J., Rossetti, G., & Namiotko, T. (2009). Dynamics of sexual and parthenogenetic populations of *Eucypris virens* (Crustacea: Ostracoda) in three temporary ponds. *Hydrobiologia*, 636, 1–14. doi:10.1007/s10750-009-9952-0
- Martins, V. (2013). *A aplicação Google Earth no estudo da dinâmica costeira em sistemas litorais arenosos na costa portuguesa. Tese mestrado.*
- Marty, J. (2004). Vernal Pools are at Home on the Range. *National Wetlands Newsletter*.
- Marty, J. (2006). Grazing Effects on Biodiversity and Ecosystem Function in California Vernal Pool Grasslands.
- Marty, J. T. (2005). Effects of cattle grazing on diversity in ephemeral wetlands. *Conservation Biology*, 19(5), 1626–1632. doi:10.1111/j.1523-1739.2005.00198.x
- Marx, W. (2012). Tracking historical papers and their citations. *European Science Editing*, 38(2), 35–37. doi:10.1023/B
- Matias, M. J., Marques, J. M., Figueiredo, P., Basto, M. J., Abreu, M. M., Carreira, P. M., ... Vicente, E. M. (2009). Assessment of pollution risk ascribed to Santa Margarida Military Camp activities (Portugal). *Environmental Geology*, 56(6), 1227–1235. doi:10.1007/s00254-008-1222-3
- Mazerolle, M. J., Desrochers, A., & Rochefort, L. (2005). Landscape Characteristics Influence Pond Occupancy By Frogs After Accounting for Detectability. *Ecological Applications*, 15(3), 824–834. doi:10.1890/04-0502
- Mazuelos, N., Toja, J., & Guisande, C. (1993). Rotifers in ephemeral ponds of Donana National Park. *Hydrobiologia*, 255/256, 429–434.
- McGeoch, M. A., & Chown, S. L. (1998). Scaling up the value of bioindicators. *Trends in Ecology & Evolution*, 13(2), 46–47. doi:10.1016/S0169-5347(97)01279-2
- McGreavy, B., Webler, T., & Calhoun, A. J. K. (2012). Science communication and vernal pool conservation: A study of local decision maker attitudes in a knowledge-action system. *Journal of Environmental Management*, 95(1), 1–8. doi:10.1016/j.jenvman.2011.09.020
- McKinney, R. A., & Paton, P. W. C. (2009). Breeding birds associated with seasonal pools in the northeastern United States. *Journal of Field Ornithology*, 80(4), 380–386. doi:10.1111/j.1557-9263.2009.00244.x

- McLay, C. L. (1978). Comparative observations on the ecology of four species of ostracods living in a temporary freshwater puddle. *Canadian Journal of Zoology*, 56(4), 663–675. doi:10.1139/z78-094
- Menetrey, N., Oertli, B., Sartori, M., Wagner, A., & Lachavanne, J. B. (2008). Eutrophication: Are mayflies (Ephemeroptera) good bioindicators for ponds? *Hydrobiologia*, 597(1), 125–135. doi:10.1007/s10750-007-9223-x
- Meter, R., Bailey, L. L., & Grant, E. H. C. (2008). Methods for estimating the amount of vernal pool habitat in the northeastern United States. *Wetlands*, 28(3), 585–593. doi:10.1672/07-237.1
- Miguel-Chinchilla, L., Boix, D., Gascón, S., & Comín, F. A. (2014). Macroinvertebrate biodiversity patterns during primary succession in manmade ponds in north-eastern Spain. *Journal of Limnology*, 73(AoP), 428–440. doi:10.4081/jlimnol.2014.936
- Mlambo, M. C., Bird, M. S., Reed, C. C., & Day, J. A. (2011). Diversity patterns of temporary wetland macroinvertebrate assemblages in the south-western Cape, South Africa. Diversity patterns of temporary wetland macroinvertebrate assemblages in the south-western Cape, South Afric. *African Journal of Aquatic Science*, 36(3), 299–308. doi:10.2989/16085914.2011.636903
- Molina, J. A. (1996). Sobre la vegetación de los humedales de la Península Ibérica. *Lazaroa*, 88, 27–88.
- Molina, J. A. (2001). Oligotrophic spring vegetation in Spanish mountain ranges. *Folia Geobotanica*, 36(3), 281–291. doi:10.1007/BF02803181
- Molina, J. A. (2005). The vegetation of temporary ponds with Isoetes in the Iberian Peninsula. *Phytocoenologia*, 35(2-3), 219–230. doi:10.1127/0340-269X/2005/0035-0219
- Molina, J. A., & Moreno, P. S. (1999). Invited paper. *Plant Biosystems - An International Journal Dealing with All Aspects of Plant Biology*, 133(2), 107–115. doi:10.1080/11263509909381539
- Molina, J. A., & Pertíñez, C. (1999). Variabilidad de las comunidades de *Eryngium corniculatum* en la Península Ibérica. *Anales de Biología*, 22(1997), 117 –124.
- Molina, J. A., Sardinero, S., & Pertíñez, C. (1999). Soft-water vegetation (Littorellion) in Spanish mountains. *Folia Geobotanica*, 34(2), 253–260. doi:10.1007/BF02913399
- Molina, J., Pertíñez, C., Diez, a, & Casermeiro, M. (2004). Vegetation composition and zonation of a Mediterranean braided river floodplain. *Belgian Journal of Botany*, 137(2), 140–154. doi:10.2307/20794548
- Molinier, R., & Tallon, G. (1948). L' *Isoetion* en Costière nîmoise. *Bulletin de La Société Botanique de France*. doi:10.1080/00378941.1948.10834735
- Montes, C. (1999). Functional analysis and restoration of Mediterranean lagunas in the Mancha Hu ´ meda Biosphere Reser7e (Central Spain). *Plant Ecology*, 109(September 1997), 97 – 109. doi:10.1002/(SICI)1099-0755(199901/02)9

- Moore, T. L. C., & Hunt, W. F. (2012, December 15). Ecosystem service provision by stormwater wetlands and ponds – A means for evaluation? *Water Research*. doi:10.1016/j.watres.2011.11.026
- Moreira, F., Queiroz, A. I., & Aronson, J. (2006). Restoration principles applied to cultural landscapes. *Journal for Nature Conservation*, 14(3-4), 217–224. doi:10.1016/j.jnc.2006.05.007
- Moreno-Opo, R., Fernández-Olalla, M., Guil, F., Arredondo, Á., Higuero, R., Martín, M., ... Guzmán, J. (2011). The role of ponds as feeding habitat for an umbrella species: best management practices for the black stork *Ciconia nigra* in Spain. *Oryx*, 45(03), 448–455. doi:10.1017/S0030605310001560
- Morey, S. R. (1996). Pool duration influences age and body mass at metamorphosis in the western spadefoot toad: implications for vernal pool conservation. In *Ecology, conservation, and management of vernal pool ecosystems - Proceedings from a 1996 Conference* (pp. 86–91).
- Moscatello, S., & Belmonte, G. (2004). Estados activos y durmientes del zooplancton y su evolución estacional en una laguna temporal hipersalina de la costa mediterránea (la â€œVecchia Salinaâ€, Italia SE). *Scientia Marina*, 68(4), 491–500. doi:10.3989/scimar.2004.68n4491
- Moss, B., Hering, D., Green, A. J., Aidoud, A., Becares, E., Beklioglu, M., ... Weyhenmeyer, G. A. (2009). Climate Change and the Future of Freshwater Biodiversity in Europe: A Primer for Policy-Makers. *Freshwater Reviews*, 2(2), 103–130. doi:10.1608/FRJ-2.2.1
- Moyà, G., & Conforti, V. (2009). Cyanobacteria and Microalgae Communities in Temporary Ponds. In *International Conference on Temporary Ponds* (p. 103).
- Muller, S. D., Bruneton, H., Soulié-Märsche, I., Rey, T., Thiéry, A., Waterkeyn, A., ... Grillas, P. (2008). Long-term dynamics of a Mediterranean alkaline vernal pool (Rhône delta, southern France). *Wetlands*, 28(4), 951–966. doi:10.1672/07-112.1
- Muller, S.D., Daoud-Bouattour, A., Amami, B., Ferchichi-Ben Jamaa, H., Ferrandini, J., Ghrabi-Gammar, Grillas, P., Pozzo di Borgo, M.-I., Rhazi, L., Soulié-Märsche, I., & Ben Saad-Limam, S. (2009). Interest of historical data for temporary pools '.
- Mura, G. (2001). Life history strategy of *Chirocephalus ruffoi* (Crustacea, Anostraca) in Mediterranean temporary mountain pools. *Hydrobiologia*, 462, 145–156. doi:10.1023/A:1013134201058
- Murray, D. L., Roth, J. D., & Wirsing, A. J. (2004). Predation risk avoidance by terrestrial amphibians: The role of prey experience and vulnerability to native and exotic predators. *Ethology*, 110(8), 635–647. doi:10.1111/j.1439-0310.2004.01004.x
- Naselli-Flores, L., & Barone, R. (2012). Phytoplankton dynamics in permanent and temporary Mediterranean waters: Is the game hard to play because of hydrological disturbance? *Hydrobiologia*, 698, 147–159. doi:10.1007/s10750-012-1059-3

- Native, C., Society, P., Cordova, R., Consulting, W., & Heights, C. (1979). Management Considerations for Small Vernal Pool Preserves – The Phoenix Vernal Pools. In *Ecology, Conservation, and Management of Vernal Pool Ecosystems* (pp. 250–254).
- Nedland, T. S., Wolf, A., & Reed, T. (2007). A reexamination of restored wetlands in Manitowoc County, Wisconsin. *Wetlands*, 27(4), 999–1015. doi:10.1672/0277-5212(2007)27
- Neto, C., Capelo, J., Sergio, C., & Costa, J. C. (2007). The Adiantetea class on the cliffs of SW Portugal and of the Azores. *Phytocoenologia*. doi:Doi 10.1127/0340-269x/2007/0037-0221
- Newman, R. A. (1992). Adaptive Plasticity in Amphibian Metamorphosis. *BioScience*, 42, 671–678. doi:10.2307/1312173
- Nicolet, P. (2004). The wetland plant and macroinvertebrate assemblages of temporary ponds in England and Wales. *Biological Conservation*, 120(2), 261–278. doi:10.1016/j.biocon.2004.03.010
- Nicolet, P., Ruggiero, A., & Biggs, J. (2007). Second European Pond Workshop: Conservation of pond biodiversity in a changing European landscape. *Annales de Limnologie - International Journal of Limnology*, 43(2), 77–80. doi:10.1051/limn/2007019
- Norris, K. (2008). Agriculture and biodiversity conservation: opportunity knocks. *Conservation Letters*, 1(1), 2–11. doi:10.1111/j.1755-263X.2008.00007.x
- Oertli, B., Biggs, J., Céréghino, R., Grillas, P., Joly, P., & Lachavanne, J.-B. (2005). Conservation and monitoring of pond biodiversity: introduction. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 15(6), 535–540. doi:10.1002/aqc.752
- Oertli, B., Céréghino, R., Hull, A., & Miracle, R. (2009). Pond conservation: From science to practice. *Hydrobiologia*, 634(1), 1–9. doi:10.1007/s10750-009-9891-9
- Oertli, B., Joye, D. A., Castella, E., Juge, R., Cambin, D., & Lachavanne, J. B. (2002). Does size matter? The relationship between pond area and biodiversity. *Biological Conservation*, 104(1), 59–70. doi:10.1016/S0006-3207(01)00154-9
- Oiti, M., Mavroulis, S., & Farangitakis, P. (2014). A geophysical insight for the occurrence of Mediterranean temporary ponds, on Mts. Oiti and Kallidromo (Greece).
- Olila, O. G., Reddy, K. R., & Harris, W. G. (1995). Forms and distribution of inorganic phosphorus in sediments of two shallow eutrophic lakes in Florida. *Hydrobiologia*, 302(2), 147–161. doi:10.1007/BF00027039
- Olker, J. H., Johnson, L. B., Axler, R. P., & Johnson, C. M. (2013). Factors influencing ultraviolet radiation dose to developing frogs in northern vernal pools. *Canadian Journal of Fisheries and Aquatic Sciences*, 70(August), 1531–1541. doi:dx.doi.org/10.1139/cjfas-2013-0137

- Olmo, C., Armengol, X., & Ortells, R. (2012). Re-establishment of zooplankton communities in temporary ponds after autumn flooding: Does restoration age matter? *Limnologica*, 42(4), 310–319. doi:10.1016/j.limno.2012.08.005
- Olmo, C., Fandos, D., Armengol, X., & Ortells, R. (2015). Combining field observations and laboratory experiments to assess the ecological preferences of *Tanymastix stagnalis* (L., 1758) (Crustacea, Branchiopoda) in Mediterranean temporary ponds. *Ecological Research*. doi:10.1007/s11284-015-1266-2
- Oscarson, D. B., & Calhoun, A. J. K. (2007). Developing vernal pool conservation plans at the local level using citizen-scientists. *Wetlands*, 27(1), 80–95. doi:10.1672/0277-5212(2007)27[80:DVPCPA]2.0.CO;2
- Ottonello, D., & Romano, A. (2011). Ostracoda and Amphibia in temporary ponds: Who is the prey? Unexpected trophic relation in a mediterranean freshwater habitat. *Aquatic Ecology*, 45(1), 55–62. doi:10.1007/s10452-010-9323-y
- Palmeirim, J. M., Moreira, F., & Beja, P. (1994). Estabelecimento de prioridades de conservação de vertebrados terrestres a nível regional: o caso da costa sudoeste portuguesa. *Professor Germano Da Fonseca Sacarrão (1914-1992)*.
- Papastergiadou, E., Agami, M., & Waisel, Y. (2002). Restoration of aquatic vegetation in Mediterranean wetlands. *Restoration of Mediterranean Wetlands*.
- Pärtel, M., Kalamees, R., Reier, Ü., Tuvi, E. L., Roosalu, E., Vellak, A., & Zobel, M. (2005). Grouping and prioritization of vascular plant species for conservation: Combining natural rarity and management need. *Biological Conservation*, 123(3), 271–278. doi:10.1016/j.biocon.2004.11.014
- Paton, P. W. C. (2005). A review of vertebrate community composition in seasonal forest pools of the northeastern United States. *Wetlands Ecology and Management*, 13(3), 235–246. doi:10.1007/s11273-004-7518-5
- Paton, P. W. C., & Crouch, W. B. (2002). Using the phenology of pond-breeding amphibians to develop conservation strategies. *Conservation Biology*, 16(1), 194–204. doi:10.1046/j.1523-1739.2002.00260.x
- Pazin, V. F. V., Magnusson, W. E., Zuanon, J., & Mendonca, F. P. (2006). Fish assemblages in temporary ponds adjacent to “terra-firme” streams in Central Amazonia. *Freshwater Biology*, 51(6), 1025–1037. doi:10.1111/j.1365-2427.2006.01552.x
- Pechmann, J. H. K., Scott, D. E., Semlitsch, R. D., Caldwell, J. P., Vitt, L. J., & Gibbons, J. W. (1991, August 23). Declining Amphibian Populations: The Problem of Separating Human Impacts from Natural Fluctuations. *Science*. doi:10.1126/science.253.5022.892
- Peinado, M., Aguirre, J. L., & Delgadillo, J. (1997). Phytosociological, bioclimatic and biogeographical classification of woody climax communities of western North America. *Journal of Vegetation Science*. doi:10.2307/3237202

- Penning, W. E., Mjelde, M., Dudley, B., Hellsten, S., Hanganu, J., Kolada, A., ... Ecke, F. (2008). Classifying aquatic macrophytes as indicators of eutrophication in European lakes. *Aquatic Ecology*, 42(2), 237–251. doi:10.1007/s10452-008-9182-y
- Pereira, A. M. (2011). *Biodiversidade de charcos temporários de diferentes idades na Serra de Grândola, Portugal*.
- Pereira, A. R. (1995). Património Geomorfológico no litoral sudoeste de Portugal. *Finisterra XXX*.
- Pereira, M. M. D., & Silva Neto, C. (2008). Contribuição para o conhecimento das comunidades anfíbias no sul de Portugal. *Acta Botanica Brasilica*, 22(3), 771–781. doi:10.1590/S0102-33062008000300014
- Pereira, M., Segurado, P., & Neves, N. (2011). Using spatial network structure in landscape management and planning: A case study with pond turtles. *Landscape and Urban Planning*, 100(1-2), 67–76. doi:10.1016/j.landurbplan.2010.11.009
- Pérez-bilbao, A., Benetti, C. J., & Garrido, J. (2000). Biodiversity and Conservation of Temporary Ponds — Assessment of the Conservation Status of “ Veiga de Ponteliñares ”, NW Spain (Natura 2000 Network), Using Freshwater Invertebrates. In *Biodiversity in Ecosystems- Linking Structure and Function*.
- Pérez-Bilbao, A., Benetti, C. J., & Garrido, J. (2015). Assessment of the effects of the dry period on the faunal composition of aquatic macroinvertebrate assemblages in two temporary ponds in NW Spain. *Journal Fo Limnology*, 70, 467–476. doi:10.4081/jlimnol.2015.
- Pérez-Bote, J. L. (2004). New Records of Large Branchiopods (Branchiopoda, Anostraca, Notostraca, and Spinicaudata) From Extremadura (Southwestern Iberian Peninsula). *Crustaceana*, 77(7), 871–878. doi:10.1163/156854004774248744
- Pérez-Bote, J. L., Muñoz, a, Romero, a J., Martín, a B., Méndez, E., & López, M. T. (2004). Primer caso de depredación del cangrejo rojo americano *Procambarus clarkii* (Girard, 1853) (Crustacea: Decapoda: Astacidae) sobre *Triops cancriformis mauritanicus* (Ghigi, 1801) (Crustacea: Notostraca: Triopsidae) en lagunas temporales del suroeste ibérico . *Boletín de La Sociedad Entomológica Aragonesa*, 35, 283–284.
- Perez-Bote, J. L., Muñoz, A., Méndez, E., Roso, R., Martín, A. B., Romero, A. J., & López, M. T. (2005). Grandes branquiópodos : importancia ecológica y conservación. *Ecosistemas*, 14(2), 168–176.
- Pérez-bote, J. L., Pablo, J., Píriz, G., & Solís, A. G. (2014). Biological traits of *Cyzicus grubei* (Crustacea , Spinicaudata , Cyzicidae) in south-western Iberian Peninsula. *Limnetica*, 33(2), 227–236.
- Philippi, T. E., Simovich, M. A., Bauder, E. T., Moorad, J. A., & Moorad, J. A. (2001). Habitat Ephemerality and Hatching Fractions of a Diapausing Anostracan (Crustacea: Branchiopoda). *Israel Journal of Zoology*, 47(4), 387–396. doi:10.1560/LU8G-9HVP-YR80-XCLO

- Picazo, F., Moreno, J. L., & Millán, A. (2010). The contribution of standing waters to aquatic biodiversity: the case of water beetles in southeastern Iberia. *Aquatic Ecology*, 44(1), 205–216. doi:10.1007/s10452-009-9279-y
- Piersanti, S., Rebora, M., Salerno, G., & Gaino, E. (2007). Behaviour of the larval dragonfly *Libellula depressa* (Odonata Libellulidae) in drying pools. *Ethology Ecology & Evolution*, 19, 127–136. doi:10.1080/08927014.2007.9522572
- Pilar Rodríguez-Rojo, M., & Sánchez-Mata, D. (2004). Mediterranean hay meadow communities: Diversity and dynamics in mountain areas throughout the Iberian Central Range (Spain). *Biodiversity and Conservation*, 13 (12), 2361–2380. doi:10.1023/B:BIOC.0000047918.00589.90
- Pillsbury, R. D., Bottero, J. S., Still, R. E., & Gilbert, W. E. (1974). *I 1974* (Vol. 27).
- Pinto-Cruz, C. (2010). Temporary ponds vegetation and dynamics: SW Portugal.
- Pinto-cruz, C. (2015). Use it but don ' t misuse it : Evidence-based practices for restoration of Mediterranean temporary ponds (pp. 4–6). doi:10.13140/2.1.5007.3606
- Pinto-Cruz, C., Barbosa, A. M., Molina, J. A., & Espírito-Santo, M. D. (2011). Biotic and abiotic parameters that distinguish types of temporary ponds in a Portuguese Mediterranean ecosystem. *Ecological Indicators*, 11(6), 1658–1663. doi:10.1016/j.ecolind.2011.04.012
- Pinto-Cruz, C., Molina, J. A., Barbour, M., Silva, V., & Espírito-Santo, M. D. (2009). Plant communities as a tool in temporary ponds conservation in SW Portugal. *Hydrobiologia*, 634(1), 11–24. doi:10.1007/s10750-009-9885-7
- Pita, R., Beja, P., & Mira, A. (2007). Spatial population structure of the Cabrera vole in Mediterranean farmland: The relative role of patch and matrix effects. *Biological Conservation*, 134(3), 383–392. doi:10.1016/j.biocon.2006.08.026
- Pita, R., Mira, A., & Beja, P. (2006). Conserving the Cabrera vole, *Microtus cabreræ*, in intensively used Mediterranean landscapes. *Agriculture, Ecosystems and Environment*, 115(1-4), 1–5. doi:10.1016/j.agee.2005.12.002
- Pita, R., Mira, A., & Beja, P. (2010). Spatial segregation of two vole species (*Arvicola sapidus* and *Microtus cabreræ*) within habitat patches in a highly fragmented farmland landscape. *European Journal of Wildlife Research*, 56(4), 651–662. doi:10.1007/s10344-009-0360-6
- Pita, R., Mira, A., & Beja, P. (2011). Assessing habitat differentiation between coexisting species: The role of spatial scale. *Acta Oecologica*, 37(2), 124–132. doi:10.1016/j.actao.2011.01.006
- Pita, R., Mira, A., & Beja, P. (2013). Influence of Land Mosaic Composition and Structure on Patchy Populations: The Case of the Water Vole (*Arvicola sapidus*) in Mediterranean Farmland. *PLoS ONE*, 8(7), e69976. doi:10.1371/journal.pone.0069976
- Pizarro, J., (1995). Contribución al estudio taxonómico de *Ranunculus L. Lazaroa*, 3, 50–113.

- Podrabsky, J. E., Hrbek, T., & Hand, S. C. (1997). Physical and chemical characteristics of ephemeral pond habitats in the Maracaibo basin and Llanos region of Venezuela. *Hydrobiologia*, 362, 67–78. doi:10.1023/A:1003168704178
- Poirion, L., & Barbero, M. (1965). Groupements à *Isoetes velata* A. Braun (*Isoetes variabilis* Le Grand). *Bulletin de La Société Botanique de France*, 112(7-8), 436–442. doi:10.1080/00378941.1965.10838261
- Politti, E., Egger, G., Angermann, K., Rivaes, R., Blamauer, B., Klösch, M., ... Habersack, H. (2014). Evaluating climate change impacts on Alpine floodplain vegetation. *Hydrobiologia*, 1–19. doi:10.1007/s10750-013-1801-5
- Porst, G., & Irvine, K. (2009). Distinctiveness of macroinvertebrate communities in turloughs (temporary ponds) and their response to environmental variables. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 19, 456–465. doi:10.1002/aqc
- Portheaut, A., Díaz-Paniagua, C., & Gómez-Rodríguez, C. (2007). Predation on amphibian eggs and larvae in temporary ponds : the case of bufo calamita in southwestern Spain. *Rev. Écol.*, 62, 315–322.
- Preisser, E. L., Kefer, J. Y., Lawrence, J. D., & Clark, T. W. (2000). Vernal pool conservation in Connecticut: An assessment and recommendations. *Environmental Management*, 26(5), 503–513. doi:10.1007/s002670010108
- Purer, E. A. (1939). Ecological study of vernal pools, San Diego County. *Ecology*, 20(2), 217–229. doi:10.2307/1930741
- Pyke, C. R. (2004a). Habitat loss confounds climate change impacts. *Frontiers in Ecology and the Environment*, 2(4), 178–182. doi:10.1890/1540-9295(2004)002[0178:HLCCCI]2.0.CO;2
- Pyke, C. R. (2004b). Simulating vernal pool hydrologic regimes for two locations in California, USA. *Ecological Modelling*, 173(2-3), 109–127. doi:10.1016/j.ecolmodel.2003.08.014
- Pyke, C. R. (2005). Assessing climate change impacts on vernal pool ecosystems and endemic branchiopods. *Ecosystems*, 8(1), 95–105. doi:10.1007/s10021-004-0086-y
- Pyke, C. R., & Fischer, D. T. (2005). Selection of bioclimatically representative biological reserve systems under climate change. *Biological Conservation*, 121(3), 429–441. doi:10.1016/j.biocon.2004.05.019
- Pyke, C. R., & Marty, J. (2005). Cattle Grazing Mediates Climate Change Impacts on Ephemeral Wetlands. *Conservation Biology*, 19(5), 1619–1625. doi:10.1111/j.1523-1739.2005.00233.x
- Quintana, X. D., Baix, D., Badosa, A., Brucet, S., Gascón, S., Gesti, J., & Trobajo, R. (2004). Limnología de los humedales costeros mediterráneos . El caso de Aiguamolls de l' Empordà . *Ecosistemas*, 13(2), 30–36.

- Quintana, X. D., Boix, D., Badosa, A., Brucet, S., Compte, J., Gascon, S., ... Moreno-Amich, R. (2006). Community structure in mediterranean shallow lentic ecosystems: Size-based vs. taxon-based approaches. *Limnetica*, 25(1-2), 303–320.
- Rains, M. C., Dahlgren, R. A., Fogg, G. E., Harter, T., & Williamson, R. J. (2008). Geological control of physical and chemical hydrology in California vernal pools. *Wetlands*, 28(2), 347–362. doi:10.1672/07-132.1
- Razgour, O., Korine, C., & Saltz, D. (2010). Pond characteristics as determinants of species diversity and community composition in desert bats. *Animal Conservation*, 13(5), 505–513. doi:10.1111/j.1469-1795.2010.00371.x
- Reed, S., & Amundson, R. (2007). Sediment, gophers, and time: A model for the origin and persistence of Mima mound-vernal pool topography in the Great Central Valley. *Vernal Pool Landscapes*, 15–27.
- Regosin, J. V., Windmiller, B. S., Homan, R. N., & Reed, M. J. (1996). Variation in Terrestrial Habitat Use By Four Pool- Breeding Amphibian Species. *Journal of Wildlife Management*, 69(4), 1481–1493.
- Reques, R., Amigos, S. De, & Csic, M. (2009). Tritón pigmeo – *Triturus pygmaeus*. En: Enciclopedia Virtual de los Vertebrados Españoles. Salvador, A. (Ed.). Museo Nacional de Ciencias Naturales, Madrid. <http://www.vertebradosibericos.org/>
- Rhazi, L., Grillas, P., Mounirou Toure, A., & Tan Ham, L. (2001). Impact of land use in catchment and human activities on water, sediment and vegetation of mediterranean temporary pools. *Comptes Rendus de l'Academie Des Sciences - Serie III*, 324, 165–177. doi:10.1016/S0764-4469(00)01286-5
- Rhazi, L., Grillas, P., Rhazi, M., & Aznar, J. C. (2009). Ten-year dynamics of vegetation in a Mediterranean temporary pool in western Morocco. *Hydrobiologia*, 634(1), 185–194. doi:10.1007/s10750-009-9893-7
- Rhazi, L., Grillas, P., Saber, E. R., Rhazi, M., Brendonck, L., & Waterkeyn, A. (2012). Vegetation of Mediterranean temporary pools: A fading jewel? *Hydrobiologia*, 689(1), 23–36. doi:10.1007/s10750-011-0679-3
- Rhazi, L., Rhazi, M., Grillas, P., & Khyari, D. El. (2006). Richness and structure of plant communities in temporary pools from western Morocco: Influence of human activities. *Hydrobiologia*, 570(1), 197–203. doi:10.1007/s10750-006-0180-6
- Rhazi, M., Grillas, P., Charpentier, A., & Médail, F. (2004). Experimental management of Mediterranean temporary pools for conservation of the rare quillwort *Isoetes setacea*. *Biological Conservation*, 118(5), 675–684. doi:10.1016/j.biocon.2003.10.016
- Rhazi, M., Grillas, P., Rhazi, L., Charpentier, A., & Médail, F. (2009). Competition in microcosm between a clonal plant species (*Bolboschoenus maritimus*) and a rare quillwort (*Isoetes setacea*) from Mediterranean temporary pools of southern France. *Hydrobiologia*, 634(1), 115–124. doi:10.1007/s10750-009-9887-5

- Rice, K. J., & Emery, N. C. (2003). Managing microevolution: restoration in the face of global change. *Frontiers in Ecology and the Environment*, 1(9), 469–478. doi:10.1890/1540-9295(2003)001[0469:MMRITF]2.0.CO;2
- Richter-Boix, A., Llorente, G. A., & Montori, A. (2007a). A comparative study of predator-induced phenotype in tadpoles across a pond permanency gradient. *Hydrobiologia*, 583(1), 43–56. doi:10.1007/s10750-006-0475-7
- Richter-Boix, A., Llorente, G., & Montori, A. (2007b). Hierarchical competition in pond-breeding anuran larvae in a Mediterranean area. *Amphibia-Reptilia*, 28(2), 247–261. doi:10.1163/156853807780202549
- Ripley, B. J., Holtz, J., & Simovich, M. A. (2004). Cyst bank life-history model for a fairy shrimp from ephemeral ponds. *Freshwater Biology*, 49(3), 221–231. doi:10.1111/j.1365-2427.2004.01179.x
- Ripley, B. J., & Simovich, M. A. (2009). Species richness on islands in time: Variation in ephemeral pond crustacean communities in relation to habitat duration and size. *Hydrobiologia*, 617(1), 181–196. doi:10.1007/s10750-008-9548-0
- Rivas-martínez, S. (2011). Mapa de series, geoseries y geopermaseries de vegetación de España - Parte II. *Itinera Geobotanica*, 18(5), 5–424.
- Robins, J. D., & Vollmar, J. E. (2002). Livestock Grazing and Vernal Pools. *Wildlife and Rare Plant Ecology of Eastern Merced County's Vernal Pool Grasslands*, 401–430.
- Rodríguez, J. R., Carmona, M. D. H., Benítez, J. M. M., Prunier, F., & Solano, F. (2013). Grandes branquiópodos en la provincia de Málaga , España (año hidrológico 2012 / 2013). *Arxius de Miscel.lània Zoològica*, 11, 163–177.
- Rodríguez-Pérez, H., Florencio, M., Gómez-Rodríguez, C., Green, A. J., Díaz-Paniagua, C., & Serrano, L. (2009). Monitoring the invasion of the aquatic bug *Trichocorixa verticalis* (Hemiptera: Corixidae) in the wetlands of Doñana National Park (SW Spain). *Hydrobiologia*, 634(1), 209–217. doi:10.1007/s10750-009-9901-y
- Rodríguez-Pérez, H., & Green, A. J. (2006). Waterbird impacts on widgeongrass *Ruppia maritima* in a Mediterranean wetland: Comparing bird groups and seasonal effects. *Oikos*, 112(3), 525–534. doi:10.1111/j.0030-1299.2006.14307.x
- Roelants, K., Gower, D. J., Wilkinson, M., Loader, S. P., Biju, S. D., Guillaume, K., ... Bossuyt, F. (2007). Global patterns of diversification in the history of modern amphibians. *Proceedings of the National Academy of Sciences*, 104(3), 887–892. doi:10.1073/pnas.0608378104
- Rogers, D. C. (1996). Aquatic Macroinvertebrate Occurrences and Population Trends in Constructed and Natural Vernal Pools in Folsom , California. *Ecology, Conservation, and Management of Vernal Pool Ecosystems*, 224–235.
- Roiz, D., Ruiz, S., Soriguer, R., & Figuerola, J. (2015). Landscape Effects on the Presence, Abundance and Diversity of Mosquitoes in Mediterranean Wetlands. *PloS One*, 10(6), e0128112. doi:10.1371/journal.pone.0128112

- Rokosch, A. E., Bouchard, V., Fennessy, S., & Dick, R. (2009). The use of soil parameters as indicators of quality in forested depressional wetlands. *Wetlands*, 29(2), 666–677. doi:10.1672/08-150.1
- Rolleri, C. H., & Prada, C. (2007). CARACTERES DIAGNÓSTICOS FOLIARES EN ISOETES (PTERIDOPHYTA, ISOETACEAE) ^{1, 2}. *Annals of the Missouri Botanical Garden*, 94(1), 202–235. doi:10.3417/0026-6493(2007)94[202:CDFEIP]2.0.CO;2
- Román, J. (2007). Historia natural de la rata de agua (*Arvicola sapidus*) en Doñana. *Historia*.
- Román, J. (2014). Artificial water points for wildlife management facilitate the spread of red swamp crayfish (*Procambarus clarkii*). *Management of Biological Invasions*, 5(4), 341–348.
- Rosselló-Graell, A. (2003). Caracterização fito-ecológica das lagoas temporárias do Campo Militar de Santa Margarida (Ribatejo, Portugal). *Portugaliae Act Biol.*, 23, 245–278.
- Rosselló-Graell, A., Draper, D., & Gomes, C. T. (2000). Conservation status of Mediterranean temporary ponds in Campo Militar de Santa Margarida (Ribatejo, Portugal). *Portugaliae Acta Biologica*, 19, 191–199.
- Rosset, V., Angélibert, S., Arthaud, F., Bornette, G., Robin, J., Wezel, A., ... Oertli, B. (2014). Is eutrophication really a major impairment for small waterbody biodiversity? *Journal of Applied Ecology*, 51(2), 415–425. doi:10.1111/1365-2664.12201
- Rouissi, M., Boix, D., Muller, S. D., Gascón, S., Ruhí, A., Sala, J., ... Daoud-Bouattour, A. (2014). Spatio-temporal variability of faunal and floral assemblages in Mediterranean temporary wetlands. *Comptes Rendus Biologies*, 337(12), 695–708. doi:10.1016/j.crv.2014.09.006
- Rowan, B. (2010). Nine Years On: Revisiting the Pond Communities of the Lizard Peninsula, UK, (2), 40–59.
- Rubbo, M. J., Lanterman, J. L., Falco, R. C., & Daniels, T. J. (2011). The influence of amphibians on mosquitoes in seasonal pools: Can wetlands protection help to minimize disease risk? *Wetlands*, 31(4), 799–804. doi:10.1007/s13157-011-0198-z
- Ruggiero, A., Céréghino, R., Figuerola, J., Marty, P., & Angélibert, S. (2008). Farm ponds make a contribution to the biodiversity of aquatic insects in a French agricultural landscape. *Comptes Rendus Biologies*, 331(4), 298–308. doi:10.1016/j.crv.2008.01.009
- Ruhí, A., Boix, D., Sala, J., Gascón, S., & Quintana, X. (2010). Llacunes de nova creació : oasis d'optimisme enmig de la degradació.
- Ruhí, A., Boix, D., Gascón, S., Sala, J., & Batzer, D. P. (2013). Functional and phylogenetic relatedness in temporary wetland invertebrates: Current macroecological patterns and implications for future climatic change scenarios. *PLoS ONE*, 8(11), e81739. doi:10.1371/journal.pone.0081739

- Ruhí, A., Boix, D., Sala, J., Gascón, S., & Quintana, X. D. (2009). Spatial and temporal patterns of pioneer macrofauna in recently created ponds: taxonomic and functional approaches. *Hydrobiologia*, 634(1), 137–151. doi:10.1007/s10750-009-9896-4
- Ruhí, A., Chappuis, E., Escoriza, D., Jover, M., Sala, J., Boix, D., ... Gacia, E. (2014). Environmental filtering determines community patterns in temporary wetlands: a multi-taxon approach. *Hydrobiologia*, 723(1), 25–39. doi:10.1007/s10750-013-1514-9
- Ruhí, A., Herrmann, J., Gascón, S., Sala, J., & Boix, D. (2012). How do early successional patterns in man-made wetlands differ between cold temperate and Mediterranean regions? *Limnologia - Ecology and Management of Inland Waters*, 42(4), 328–339. doi:10.1016/j.limno.2012.07.005
- Ruhí, A., Sebastian, O. S., Feo, C., Franch, M., Gascón, S., Richter-Boix, À., ... Llorente, G. (2012). Man-made Mediterranean temporary ponds as a tool for amphibian conservation. *Annales de Limnologie - International Journal of Limnology*, 48(1), 81–93. doi:10.1051/limn/2011059
- Ruiz, E. (2008). *Management of Natura 2000 habitats * Mediterranean temporary ponds 3170. Ecosystems*.
- Runquist, R. B., & Stanton, M. L. (2013). Asymmetric and frequency-dependent pollinator-mediated interactions may influence competitive displacement in two vernal pool plants. *Ecology Letters*, 16(2), 183–190. doi:10.1111/ele.12026
- Sahib, N., Rhazi, L., & Grillas, P. (2011). Post-disturbance dynamics of plant communities in a Mediterranean temporary pool (Western Morocco): Effects of disturbance size. *Botany*, 89(2), 105–118. doi:10.1139/B10-091
- Sahib, N., Rhazi, L., Rhazi, M., & Grillas, P. (2009). Experimental study of the effect of hydrology and mechanical soil disturbance on plant communities in Mediterranean temporary pools in Western Morocco. *Hydrobiologia*, 634(1), 77–86. doi:10.1007/s10750-009-9894-6
- Sahuquillo, M., & Miracle, M. R. (2010). Crustacean and rotifer seasonality in a Mediterranean temporary pond with high biodiversity (lavajo de abajo de Sinarcas, Eastern Spain). *Limnetica*, 29(1), 75–92.
- Sahuquillo, M., & Miracle, M. R. (2013). The role of historic and climatic factors in the distribution of crustacean communities in Iberian Mediterranean ponds. *Freshwater Biology*, 58(6), 1251–1266. doi:10.1111/fwb.12124
- Sahuquillo, M., Miracle, M. R., Morata, S. M., & Vicente, E. (2012). Nutrient dynamics in water and sediment of Mediterranean ponds across a wide hydroperiod gradient. *Limnologia - Ecology and Management of Inland Waters*, 42(4), 282–290. doi:10.1016/j.limno.2012.08.007
- Said, A., Stevens, D. K., & Sehlke, G. (2004). An innovative index for evaluating water quality in streams. *Environmental Management*, 34(3), 406–414. doi:10.1007/s00267-004-0210-y

- Sala, J., Amat, F., Boix, D., Cancela da Fonseca, L., Cristo, M., Florencio, M., ... Serrano, L. (2010). Updating the distribution and conservation status of large branchiops in the Iberian Peninsula and the Balearic Islands (poster), (September 2015), 11.
- Sala, J., Gascon, S., Boix, D., Gesti, J., & Quintana, X. D. (2004). Proposal of a rapid methodology to assess the conservation status of Mediterranean wetlands and its application in Catalunya (NE Iberian Peninsula). *Archives Des Sciences*, 57(2-3), 141–151.
- Sammut, S., Landranco, S. (2014). ' Proximity ' and its effect on community assembly in temporary freshwater pools in Malta. In *Conference Paper*. doi:10.13140/2.1.3795.0724
- Sammut, S., Briffa, K., Camilleri J., & Lanfranco S. (2014). Pools , plants and people : challenges for wetland conservation in Malta. doi:10.13140/2.1.1435.7764
- Sánchez-Carrillo, S., & Angeler, D. G. (2010). Ecology of Threatened Semi-Arid Wetlands. *Book*, (July 2015), 292. doi:10.1007/978-90-481-9181-9
- Sanderson, R. A., Eyre, M. D., & Rushton, S. P. (2005). Distribution of selected macroinvertebrates in a mosaic of temporary and permanent freshwater ponds as explained by autologistic models. *Ecography*, 28(3), 355–362. doi:10.1111/j.0906-7590.2005.04093.x
- Sand-Jensen, K., Riis, T., Vestergaard, O., & Larsen, S. (2000). Macrophyte decline in Danish lakes and streams over the past 100 years. *Journal of Ecology*, 88(6), 1030–1040. doi:10.1046/j.1365-2745.2000.00519.x
- Santo, D. E., & Arsénio, P. (2005). Influence of land use on the composition of plant communities from seasonal pond ecosystems in the Guadiana Valley Natural Park (Portugal). *Phytocoenologia*. doi:10.1127/0340-269X/2005/0035-0267
- Santos, S. M., Mathias, M. D. L., Mira, A., & Simões, M. P. (2007). Vegetation structure and composition of road verge and meadow sites colonized by Cabrera vole (*Microtus cabreræ* Thomas). *Polish Journal of Ecology*, 55(3), 481–493.
- Santos, S. M., Simões, M. P., Mathias, M. D. L., & Mira, A. (2006). Vegetation analysis in colonies of an endangered rodent, the Cabrera vole (*Microtus cabreræ*), in southern Portugal. *Ecological Research*, 21(2), 197–207. doi:10.1007/s11284-005-0104-3
- Sardinero, S. (1998). Clasificación De Las Comunidades Acuáticas Del Sector Celtibérico-Alcarreño (Centro De La Península Ibérica). *Acta Botanica Malacitana*, 23, 89–98.
- Scheffers, B. R., Harris, J. B. C., & Haskell, D. G. (2006). Avifauna associated with ephemeral ponds on the Cumberland Plateau, Tennessee. *Journal of Field Ornithology*, 77(2), 178–183. doi:10.1111/j.1557-9263.2006.00039.x
- Scher, O., & Thiéry, A. (2005). Odonata, Amphibia and Environmental Characteristics in Motorway Stormwater Retention Ponds (Southern France). *Hydrobiologia*, 551(1), 237–251. doi:10.1007/s10750-005-4464-z

- Scholnick, D. A. (1994). Seasonal variation and diurnal fluctuations in ephemeral desert pools. *Hydrobiologia*, 294(2), 111–116. doi:10.1007/BF00016851
- Schrank, A. J., Resh, S. C., Peviant, W. J., & Chimner, R. A. (2015). Characterization and Classification of Vernal Pool Vegetation, Soil, and Amphibians of Pictured Rocks National Lakeshore. *The American Midland Naturalist*, 174(1), 161–179. doi:10.1674/0003-0031-174.1.161
- Schwartz, S. S., & Jenkins, D. G. (2000). Temporary aquatic habitats: Constraints and opportunities. *Aquatic Ecology*, 34(1), 3–8. doi:10.1023/A:1009944918152
- Sebastián, A., Peña, C., & Laguna, E. (2003). Experiencias de restauración de balsas temporales y otras zonas húmedas en el territorio valenciano (pp. 207–223).
- Sebastián-González, E., & Green, A. J. (2014). Habitat Use by Waterbirds in Relation to Pond Size, Water Depth, and Isolation: Lessons from a Restoration in Southern Spain. *Restoration Ecology*, 22(3), 311–318. doi:10.1111/rec.12078
- Segev, O., Hill, N., Templeton, A. R., & Blaustein, L. (2010). Population size, structure and phenology of an endangered salamander at temporary and permanent breeding sites. *Journal for Nature Conservation*, 18(3), 189–195. doi:10.1016/j.jnc.2009.08.006
- Seminara, M., Vagaggini, D., & Margaritora, F. G. (2008). Differential responses of zooplankton assemblages to environmental variation in temporary and permanent ponds: Zooplankton of temporary and permanent ponds. *Aquatic Ecology*, 42(1), 129–140. doi:10.1007/s10452-007-9088-0
- Seminara, M., Vagaggini, D., & Stoch, F. (2015). Long-term monitoring of astatic water bodies: microcrustaceans as indicators of hydroperiod length in ponds and pools. *Rendiconti Lincei*. doi:10.1007/s12210-015-0406-5
- Semlitsch, R. D. (2002). Critical elements for biologically based recovery plans of aquatic-breeding amphibians. *Conservation Biology*, 16(3), 619–629. doi:10.1046/j.1523-1739.2002.00512.x
- Semlitsch, R. D., & Bodie, J. R. (2003). Biological Criteria for Buffer Zones around Wetlands and Riparian Habitats for Amphibians and Reptiles. *Conservation Biology*, 17(5), 1219–1228. doi:10.1046/j.1523-1739.2003.02177.x
- Semlitsch, R., & Skelly, D. (2008). Ecology and conservation of pool-breeding amphibians. *Science and Conservation of Vernal Pools in Northeastern North America*, 9, 127–148.
- Serrano, L. (1996). Influence of groundwater exploitation for urban water supply on temporary ponds from the Donana National Park (SW Spain). *Journal of Environmental Management*, 46, 229–238.
- Serrano, L., Calzada-Bujak, I., & Toja, J. (2003). Variability of the sediment phosphate composition of a temporary pond (Doñana National Park, SW Spain). *Hydrobiologia*, 492(1-3), 159–169. doi:10.1023/A:1024875514706

- Serrano, L., Esquivias-segura, M. P., & Box, S. P. O. (2008). Long-term hydrological changes over a seventeen-year period in temporary ponds of the Doñana N.P. (SW Spain). *Plant Biology*, 27(1), 65–78.
- Serrano, L., Perez-Romero, P., Plazuelo, A., Torres, A., & Toja, J. (2000). Microbial degradation of dissolved polyphenolic compounds in seasonal ponds, 27(July 2015), 3254–3259.
- Serrano, L., & Zunzunegui, M. (2008). The relevance of preserving temporary ponds during drought: hydrological and vegetation changes over a 16-year period in the Doñana National Park (south-west Spain). *Aquatic Conservation: Marine and Freshwater Ecosystems*, 18(3), 261–279. doi:10.1002/aqc.830
- Shiel, R. J., Green, A. J., & Tan, L. W. (2001). Microfaunal and resting-stage heterogeneity in ephemeral pools, upper River Murray floodplain, Australia. *Verhandlungen Der Internationale Vereinigung Für Theoretische Und Angewandte Limnologie*, 27(6), 3738–3741.
- Silva, V. M. A. (2009). Vegetação de charcos e cursos de água temporários. Estudo da ordem *Isoetetalia* em Portugal. Instituto Superior de Agronomia, Universidade Técnica de Lisboa.
- Silva, V., Molina, J. A., Costa, J. C., Pinto-cruz, C., & Espírito-santo, M. D. (2009). Nova associação de charcos temporários mediterrânicos do SW da Península Ibérica: *Eryngio corniculati-isoetetum setecei*. *Acta Botanica Malacitana*, 34, 1–6.
- Silveira, J. G. (1998). Avian Uses of Vernal Pools and Implications for Conservation Practice. *Ecology, Conservation, and Management of Vernal Pool Ecosystems – Proceedings from a 1996 Conference*, 92–106.
- Silveira, J. G. (2000a). Alkali Vernal Pools At Sacramento National Wildlife Refuge. *Fremontia*, 27(4), 10–18.
- Silveira, J. G. (2000b). Vernal pools and relict duneland at Arena Plains. *Fremontia*, 27(4), 38–47.
- Silver, C. A., Vamosi, S. M., & Bayley, S. E. (2012). Temporary and permanent wetland macroinvertebrate communities: Phylogenetic structure through time. *Acta Oecologica*, 39, 1–10. doi:10.1016/j.actao.2011.10.001
- Sim, L. L., Davis, J. A., Strehlow, K., McGuire, M., Trayler, K. M., Wild, S., ... O'Connor, J. (2013). The influence of changing hydroregime on the invertebrate communities of temporary seasonal wetlands. *Freshwater Science*, 32(1), 327–342. doi:10.1899/12-024.1
- Simaika, J. P., & Samways, M. J. (2009). An easy-to-use index of ecological integrity for prioritizing freshwater sites and for assessing habitat quality. *Biodiversity and Conservation*, 18(5), 1171–1185. doi:10.1007/s10531-008-9484-3

- Simovich, M. (1998). Crustacean biodiversity and endemism in California's ephemeral wetlands. *Ecology, Conservation, and Management of Vernal Pool Ecosystems – Proceedings from a 1996 Conference*, 2492, 107–118.
- Simovich, M., & Hathaway, S. (1997). Diversified bet-hedging as a reproductive strategy of some ephemeral pool anostracans (Branchiopoda). *Journal of Crustacean Biology*, 17(1), 38–44.
- Smith, B. R. (2007). Water Resources Collections and Archives University of California, 0–17.
- Snodgrass, J., Komoroski, M., Bryan, A. L. J., & Burger, J. (2000). Relationships among Isolated Amphibian Wetland Species Size, Hydroperiod, and Implications for Richness: Wetland Regulations. *Conservation Biology*, 14(2), 414–419.
- Snodgrass, J. W., Bryan, A. L., & Burger, J. (2000). Development of Expectations of Larval Amphibian Assemblage Structure in Southeastern Depression Wetlands. *Ecological Applications*, 10(4), 1219–1229. doi:10.1890/1051-0761(2000)010[1219:DOEOLA]2.0.CO;2
- Society, C. G., Piedmont, G. O. F., & Basins, V. P. (1992). Guy King. *California Geographical Society*, XXXII, 19–38.
- Solimini, A. G., Della Bella, V., & Bazzanti, M. (2005). Macroinvertebrate size spectra of Mediterranean ponds with differing hydroperiod length. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 15(6), 601–611. doi:10.1002/aqc.747
- Søndergaard, M., Johansson, L. S., Lauridsen, T. L., Jørgensen, T. B., Liboriussen, L., & Jeppesen, E. (2010). Submerged macrophytes as indicators of the ecological quality of lakes. *Freshwater Biology*, 55(4), 893–908. doi:10.1111/j.1365-2427.2009.02331.x
- Søndergaard, M., Windolf, J., & Jeppesen, E. (1996). Phosphorus fractions and profiles in the sediment of shallow Danish lakes as related to phosphorus load, sediment composition and lake chemistry. *Water Research*, 30(4), 992–1002. doi:http://dx.doi.org/10.1016/0043-1354(95)00251-0
- Stamati, F., Nikolaidis, N., Dimitriou, E., Skoulikidis, N., & Koussouris, T. (2008). Hydro-geochemical aspects of a typical Mediterranean temporary pond in western Crete (Omalos Plateau). *Journal of Environmental Quality*, 37(1), 164–173.
- Stelzenmüller, V. M., & Martín, P. (2009). Patterns of species and functional diversity around a coastal marine reserve: a fisheries perspective. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 19(December 2006), 554–565. doi:10.1002/aqc
- Stevens, V. M., & Baguette, M. (2008). Importance of habitat quality and landscape connectivity for the persistence of endangered natterjack toads. *Conservation Biology*, 22(5), 1194–1204. doi:10.1111/j.1523-1739.2008.00990.x
- Stoms, D. M., McDonald, J. M., & Davis, F. W. (2002). Fuzzy assessment of land suitability for scientific research reserves. *Environmental Management*, 29(4), 545–558. doi:10.1007/s00267-001-0004-4

- Stuart, S. N. (2005). Response to Comment on "Status and Trends of Amphibian Declines and Extinctions Worldwide." *Science*, 309(5743), 1999c–1999c. doi:10.1126/science.1113265
- Studies, Z., & Migal, T. G. (2012). Amphibian Larval in Various Water Bodies in the Semi-arid Zone . *Zoological Studies* 51 : 345- Phenotypic Plasticity in Larval Development of Six Amphibian Species. *Zoological Studies*, 51(July 2015), 345–361.
- Studinski, J. M., & Grubbs, S. A. (2007). Environmental factors affecting the distribution of aquatic invertebrates in temporary ponds in Mammoth Cave National Park, Kentucky, USA. *Hydrobiologia*, 575(1), 211–220. doi:10.1007/s10750-006-0368-9
- Šumberová, K., Lososová, Z., Fabšičová, M., & Horáková, V. (2006). Variability of vegetation of exposed pond bottoms in relation to management and environmental factors. *Preslia*, 78(2), 235–252.
- Sunding, D., Swoboda, A., & Zilberman, D. (2003). The Economic Costs of Critical Habitat Designation : Framework and Application to the Case of California Vernal Pools by.
- Sutter, G., & Francisco, R. (1998). Vernal Pool Creation in the Sacramento Valley : A Review of the Issues Surrounding Its Role as a Conservation Tool. *Ecology, Conservation, and Management of Vernal Pool Ecosystems – Proceedings from a 1996 Conference*, 95818, 190–194.
- Swenson, R., & Tools, N. P. (2000). by Rich Reiner and Ramona Swenson.
- Szyperek, U. (2010). The effect of catchment area management on biogenic element concentrations in the water of small ponds. *Oceanological and Hydrobiological Studies*, 39(3), 47–54. doi:10.2478/v10009-010-0038-0
- Takahashi, F. (1994). Use of the tadpole shrimp (*Triops* spp.) as a biological agent to control paddy weeds in Japan. *Sciences-New York*, 128–138.
- Tanaka, H., Shibata, M., Masaki, T., Iida, S., Niiyama, K., Abe, S., ... Nakashizuka, T. (2008). Comparative demography of three coexisting *Acer* species in gaps and under closed canopy. *Journal of Vegetation Science*, 19(1), 127–138. doi:10.3170/2007-8-18342
- Tandingan De Ley, I., Yoder, M., De Ley, P., & Mundo-Ocampo, M. (2007). Nematodes from vernal pools in the Santa Rosa Plateau Ecological Reserve, California I. *Hirschmanniella santarosae* sp. n. (Nematoda: Pratylenchidae), a cryptic sibling species of *H. pomponiensis* Abdel-Rahman & Maggenti, 1987. *Nematology*, 9(3), 405–429. doi:10.1163/156854107781352052
- Teixeira, J., Buckley, D., Plots, B. S., Analysis, N. C., & Peninsula, I. (n.d.). Mt-DNA phylogeography of *Lissotriton boscai* (Caudata , Salamandridae): evidence for old , multiple refugia in an Iberian endemic, (1), 1–28.
- Teixeira, J., Martínez-Solano, I., Buckley, D., Tarroso, P., García-París, M., & Ferrand, N. (2015). Genealogy of the nuclear β -fibrinogen intron 7 in *Lissotriton boscai* (Caudata , Salaman - dridae): concordance with mtDNA and implications for phylogeography and speciation. *Contributions to Zoology*, 84(3), 193–215.

- Thiery, A. (1998). Horizontal distribution and abundance of cysts of several large branchiopods in temporary pool and ditch sediments. *Hydrobiologia*, 359 (ditch 2), 177–189. doi:10.1023/A:1003124617897
- Thiéry, A. (1991). Multispecies coexistence of branchiopods (Anostraca, Notostraca & Spinicaudata) in temporary ponds of Chaouia plain (western Morocco): sympatry or syntopy between usually allopatric species. *Hydrobiologia*, 212(1), 117–136. doi:10.1007/BF00025994
- Thomme, E. Van. (2001). Restored Vernal Pools in California and post-creation Monitoring and Management, 1–6.
- Thomsen, P. F., Kielgast, J., Iversen, L. L., Wiuf, C., Rasmussen, M., Gilbert, M. T. P., ... Willerslev, E. (2012). Monitoring endangered freshwater biodiversity using environmental DNA. *Molecular Ecology*, 21(11), 2565–73. doi:10.1111/j.1365-294X.2011.05418.x
- Thorp, R. W., & Leong, J. M. (1998). Specialist bee pollinators of showy vernal pool flowers. *Ecology, Conservation, and Management of Vernal Pool Ecosystems*, Witham CW, Bauder, E., D. Belk, W. Ferren Jr. and R. Ornduf (Eds). California Native Plant Society, Sacramento, CA, 95616, 169–179.
- Timms, B. (2012). An Identification Guide to the Brine Shrimps (Crustacea: Anostraca: Artemiina) of Australia. *Museum Victoria Science Reports*, 16, 1–36.
- Tiner, R. W. (2003). Geographically isolated wetlands of the United States. *Wetlands*, 23(3), 494–516.
- Todd, B. D., Luhring, T. M., Rothermel, B. B., & Gibbons, J. W. (2009). Effects of forest removal on amphibian migrations: Implications for habitat and landscape connectivity. *Journal of Applied Ecology*, 46(3), 554–561. doi:10.1111/j.1365-2664.2009.01645.x
- Trigal, C., García-Criado, F., & Fernández-Aláez, C. (2009). Towards a multimetric index for ecological assessment of Mediterranean flatland ponds: The use of macroinvertebrates as bioindicators. *Hydrobiologia*, 618(1), 109–123. doi:10.1007/s10750-008-9569-8
- Troia, A., & Azzella, M. M. (2013). *Isoëtes sabatina* (*Isoëtaceae* Lycopodiophyta), a new aquatic species from central Italy. *Plant Biosystems - An International Journal Dealing with All Aspects of Plant Biology*, 147(4), 1052–1058. doi:10.1080/11263504.2013.782902
- Troumbis, A. Y., & Memtsas, D. (2000). Observational evidence that diversity may increase productivity in Mediterranean shrublands. *Oecologia*, 125(1), 101–108. doi:10.1007/PL00008880
- Tsinenko, O., & Meeting, O. G. (2005). Herpetologia petropolitana. In *Proceedings of the 12th Ordinary General Meeting of the Societas Europaea Herpetologica* (pp. 5–7).

- Tuckett, R. E., Merritt, D. J., Hay, F. R., Hopper, S. D., & Dixon, K. W. (2010). Dormancy, germination and seed bank storage: A study in support of ex situ conservation of macrophytes of southwest Australian temporary pools. *Freshwater Biology*, *55*(5), 1118–1129. doi:10.1111/j.1365-2427.2010.02386.x
- Tulloch, D. L. (2008). Is VGI participation? From vernal pools to video games. *GeoJournal*, *72*(3-4), 161–171. doi:10.1007/s10708-008-9185-1
- Valls, L., Rueda, J., & Mesquita-Joanes, F. (2013). Dynamics of Ostracoda (Crustacea) assemblages in a Mediterranean pond system (Racó de l'Olla, Albufera Nat. Park) with focus on the exotic species *Candonocypris novaezelandiae* (Baird, 1843). *Annales de Limnologie - International Journal of Limnology*, *49*(3), 237–247. doi:10.1051/limn/2013053
- Van Buskirk, J. (2005). Local and Landscape Influence on Amphibian Occurrence and Abundance. *Ecology*, *86*(7), 1936–1947. doi:10.1890/04-1237
- van de Vliet, M., Beebee, T., & Diekmann, O. (2012). Genetic evidence for a distinct &i>Pelodytes&/i> lineage in southwest Portugal: implications for the use of pre-developed microsatellite markers. *Conservation Genetics*, *13*(2), 605–611. doi:doi:10.1007/s10592-011-0299-5
- van de Vliet, M. S., Diekmann, O. E., Machado, M., Beebee, T. J. C., Beja, P., & Serrão, E. A. (2014). Genetic Divergence for the Amphibian *Pleurodeles waltl* in Southwest Portugal: Dispersal Barriers Shaping Geographic Patterns. *Journal of Herpetology*, *48*(1), 38–44. doi:10.1670/12-181
- Van De Vliet, M. S., Diekmann, O. E., Serrão, E. T. a, & Beja, P. (2009a). Development and characterization of highly polymorphic microsatellite loci for the Western Spadefoot toad, *Pelobates cultripes*. *Conservation Genetics*, *10*(4), 993–996. doi:10.1007/s10592-008-9670-6
- Van De Vliet, M. S., Diekmann, O. E., Serrão, E. T. a, & Beja, P. (2009b). Highly polymorphic microsatellite loci for the Parsley frog (*Pelodytes punctatus*): Characterization and testing for cross-species amplification. *Conservation Genetics*, *10*(3), 665–668. doi:10.1007/s10592-008-9609-y
- Van den Broeck, M., Waterkeyn, A., Rhazi, L., Grillas, P., & Brendonck, L. (2015). Assessing the ecological integrity of endorheic wetlands, with focus on Mediterranean temporary ponds. *Ecological Indicators*, *54*, 1–11. doi:10.1016/j.ecolind.2015.02.016
- Vanschoenwinkel, B., Hulsmans, A., De Roeck, E., De Vries, C., Seaman, M., & Brendonck, L. (2009). Community structure in temporary freshwater pools: Disentangling the effects of habitat size and hydroregime. *Freshwater Biology*, *54*(7), 1487–1500. doi:10.1111/j.1365-2427.2009.02198.x
- Vanschoenwinkel, B., Waterkeyn, A., Jocqué, M., Boven, L., Seaman, M., & Brendonck, L. (2010). Species sorting in space and time—the impact of disturbance regime on community assembly in a temporary pool metacommunity. *Journal of the North American Benthological Society*, *29*(4), 1267–1278. doi:10.1899/09-114.1

- Vanschoenwinkel, B., Waterkeyn, A., Vandecaetsbeek, T., Pineau, O., Grillas, P., & Brendonck, L. (2008). Dispersal of freshwater invertebrates by large terrestrial mammals: a case study with wild boar (*Sus scrofa*) in Mediterranean wetlands. *Freshwater Biology*, 53(11), ???-???. doi:10.1111/j.1365-2427.2008.02071.x
- Vasconcelos, D., & Calhoun, A. J. K. (2006). Monitoring created seasonal pools for functional success: A six-year case study of amphibian responses, Sears Island, Maine, USA. *Wetlands*, 26(4), 992-1003. doi:10.1672/0277-5212(2006)26[992:MCSPFF]2.0.CO;2
- Velo-Antón, G., Zamudio, K. R., & Cordero-Rivera, A. (2012). Genetic drift and rapid evolution of viviparity in insular fire salamanders (*Salamandra salamandra*). *Heredity*, 108(4), 410-8. doi:10.1038/hdy.2011.91
- Vendlinski, T. (2000). California' vernal pools: accomplishments and conservation strategies. *Fremontia*, 27(4), 19-27.
- Verdiell-Cubedo, D., Boix, D., & Zanolla, M. (2014). First data on the distribution of large branchiopods (Crustacea: Branchiopoda) in Murcia Region (SE Spain). *Anales de Biología*, (36). doi:10.6018/analesbio.36.11
- Viana, C., Campos, R., Viegas, F., Silva, F., Graça, R., Reis, V., ... Canha, P. (n.d.). A borboleta monarca (*Danaus plexippus*) em Odemira - Portugal. *Captar Ciência E Ambiente Para Todos*. Odemira.
- Vignoli, L., Bologna, M. A., & Luiselli, L. (2007). Seasonal patterns of activity and community structure in an amphibian assemblage at a pond network with variable hydrology. *Acta Oecologica*, 31(2), 185-192. doi:10.1016/j.actao.2006.09.006
- Vignoli, L., Luiselli, L., & Bologna, M. A. (2009). Dietary patterns and overlap in an amphibian assemblage at a pond in mediterranean Central Italy. *Vie et Milieu*, 59(1), 47-57.
- Vilar, L., Viñas, X., & Font, J. (1994). Notes breus (flora). *Butll. Inst. Cat. Hist. Nat.*, 62, 109-114.
- Villalobos, F., Lira-Noriega, A., Soberón, J., & Arita, H. T. (2013). Range-diversity plots for conservation assessments: Using richness and rarity in priority setting. *Biological Conservation*, 158, 313-320. doi:10.1016/j.biocon.2012.10.002
- Virtanen, R., Oksanen, J., Oksanen, L., & Razzhivin, V. (2006). Broad-scale vegetation-environment relationships in Eurasian high-latitude areas. *Journal of Vegetation Science*, 17(17), 519-528. doi:10.1658/1100-9233(2006)17
- Vogiatzakis, I. N., Kazakis, G., & Ghosn, D. (2009). Macrophyte community structure and species occurrence in relation to environmental determinants in the ephemeral aquatic habitats of Gavdos, Greece. *Hydrobiologia*, 630(1), 127-138. doi:10.1007/s10750-009-9785-x

- Wacker, M., & Kelly, N. M. (2004). Changes in vernal pool edaphic settings through mitigation at the project and landscape scale. *Wetlands Ecology and Management*, 12(3), 165–178. doi:10.1023/B:WETL.0000034072.14862.91
- Walston, L. J., & Mullin, S. J. (2008). Variation in amount of surrounding forest habitat influences the initial orientation of juvenile amphibians emigrating from breeding ponds. *Canadian Journal of Zoology*, 86(2), 141–146. doi:10.1139/Z07-117
- Walter, W. G. (1961). Standard methods for the examination of water and wastewater (11th ed.). *American Journal of Public Health and the Nations Health* (Vol. 51). doi:10.2105/AJPH.51.6.940-a
- Wanke, H., Bruckner, J., Dreibus, G., Rieder, R., & Ryabchikov, I. (2001). Chemical composition of rocks and soils at the Pathfinder site. *Space Science Reviews*, 96, 317–330. doi:10.1023/A
- Warburg, M.R., Degani, G., Warburg, I. (1979). Metamorphosis, Aquatic Biology . *Hydrobiologia*.
- Warwick, N. W. M., & Brock, M. A. (2003). Plant reproduction in temporary wetlands: the effects of seasonal timing, depth, and duration of flooding. *Aquatic Botany*, 77(2), 153–167. doi:10.1016/S0304-3770(03)00102-5
- Washburn, J. O. (1995). Regulatory factors affecting larval mosquito populations in container and pool habitats: implications for biological control. *Journal of the American Mosquito Control Association*, 11(2 Pt 2), 279–283.
- Waterkeyn, A., Grillas, P., Anton-Pardo, M., Vanschoenwinkel, B., & Brendonck, L. (2011). Can large branchiopods shape microcrustacean communities in Mediterranean temporary wetlands? *Marine and Freshwater Research*, 62(1), 46–53. doi:10.1071/MF10147
- Waterkeyn, A., Grillas, P., De Roeck, E. R. M., Boven, L., & Brendonck, L. (2009). Assemblage structure and dynamics of large branchiopods in Mediterranean temporary wetlands: Patterns and processes. *Freshwater Biology*, 54(6), 1256–1270. doi:10.1111/j.1365-2427.2009.02174.x
- Waterkeyn, A., Grillas, P., Vanschoenwinkel, B., & Brendonck, L. (2008). Invertebrate community patterns in Mediterranean temporary wetlands along hydroperiod and salinity gradients. *Freshwater Biology*, 53(9), 1808–1822. doi:10.1111/j.1365-2427.2008.02005.x
- Waterkeyn, A., Pineau, O., Grillas, P., & Brendonck, L. (2010). Invertebrate dispersal by aquatic mammals: A case study with nutria *Myocastor coypus* (Rodentia, Mammalia) in Southern France. *Hydrobiologia*, 654(1), 267–271. doi:10.1007/s10750-010-0388-3
- Waterkeyn, A., van den Broeck, M., Brendonck, L., & Rhazi, L. (2015). Distribution, coexistence, and decline of Moroccan large branchiopods. *Journal of Crustacean Biology*, 35(3), 355–365. doi:10.1163/1937240X-00002316

- Waterkeyn, A., Vanschoenwinkel, B., Elsen, S., Anton-Pardo, M., Grillas, P., & Brendonck, L. (2010). Unintentional dispersal of aquatic invertebrates via footwear and motor vehicles in a Mediterranean wetland area. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 20(5), 580–587. doi:10.1002/aqc.1122
- Waterkeyn, A., Vanschoenwinkel, B., Grillas, P., & Brendonck, L. (2010). Effect of salinity on seasonal community patterns of Mediterranean temporary wetland crustaceans: A mesocosm study. *Limnology and Oceanography*, 55(4), 1712–1722. doi:10.4319/lo.2010.55.4.1712
- Weir, J. S. (1966). Ecology and zoogeography of aquatic Hemiptera from temporary pools in Central Africa. *Hydrobiologia*, 28(1), 123–128. doi:10.1007/BF00144944
- Werner, E. E., Skelly, D. K., Relyea, R. A., & Yurewicz, K. L. (2007). Amphibian species richness across environmental gradients. *Oikos*, 116(10), 1697–1712. doi:10.1111/j.2007.0030-1299.15935.x
- Whigham, D. F. (1999). Ecological issues related to wetland preservation, restoration, creation and assessment. *Science of the Total Environment*, 240(1-3), 31–40. doi:10.1016/S0048-9697(99)00321-6
- Whigham, D. F., & Jordan, T. E. (2003). Isolated wetlands and water quality. *Wetlands*, 23(3), 541–549. doi:10.1672/0277-5212(2003)023[0541:IWAWQ]2.0.CO;2
- Wilbur, H. M. (1997). Experimental Ecology of Food Webs: Complex Systems in Temporary Ponds. *Ecology*, 78 (8), 2279–2302.
- Wilcox, B. P. (2010). Ecohydrology Bearing - Invited Commentary Transformation ecosystem change and ecohydrology: ushering in a new era for watershed management. *Ecohydrology*, 130(February), 126–130. doi:10.1002/eco
- Wilcox, C. (2001). Habitat Size and Isolation Affect Colonization of Seasonal Wetlands By Predatory Aquatic Insects. *Israel Journal of Zoology*, 47(4), 459–476. doi:10.1560/92B4-15TH-U7WM-LLTW
- Wilcox, C., & Huertos, M. L. (2005). A simple, rapid method for mapping bathymetry of small wetland basins. *Journal of Hydrology*, 301(1-4), 29–36. doi:10.1016/j.jhydrol.2004.06.027
- Williams, A., & Dickman, C. (2004). The ecology of insectivorous bats in the Simpson Desert central Australia: habitat use. *Australian Mammalogy*, (1995), 205–214.
- Williams, D. D. (1997). Temporary ponds and their invertebrate communities. *Aquatic Conservation*, 7(2), 105–117. doi:10.1002/(SICI)1099-0755(199706)7:2<105::AID-AQC222>3.3.CO;2-B
- Williams, D. D. (1998). The role of dormancy in the evolution and structure of temporary water invertebrate communities. *Archiv Hydrobiol. Spec. l Issues Advanc. Limnol.*
- Williams, D. D. (2013). Environmental constraints in temporary fresh waters and their consequences for the insect fauna. *Journal of the North American Benthological Society*, 15(4), 634–650.

- Williams, P. (2004). Comparative biodiversity of rivers, streams, ditches and ponds in an agricultural landscape in Southern England. *Biological Conservation*, 115(2), 329–341. doi:10.1016/S0006-3207(03)00153-8
- Williams, P., Biggs, J., Fox, G., Nicolet, P., & Whitfield, M. (2001). History, origins and importance of temporary ponds. *Freshwater Forum*, 17, 7–15.
- Williamson, R. J., Fogg, G. E., Rains, M. C., & Harter, T. H. (2005). *Hydrology of Vernal Pools at Three Sites, Southern Sacramento Valley Hydrology of Vernal Pools at Three Sites, Southern Sacramento Valley*.
- Willis, K. J., Araujo, M. B., Bennett, K. D., Figueroa-Rangel, B., Froyd, C. A., & Myers, N. (2007). How can a knowledge of the past help to conserve the future? Biodiversity conservation and the relevance of long-term ecological studies. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 362(1478), 175–187. doi:10.1098/rstb.2006.1977
- Wisheu, I. C., & Keddy, P. A. (1996). Three competing models for predicting the size of species pools: a test using eastern North American wetlands. *Oikos*.
- Wissinger, S. A., Greig, H., & McIntosh, A. (2009). Absence of species replacements between permanent and temporary lentic communities in New Zealand. *Journal of the North American Benthological Society*, 28(1), 12–23. doi:10.1899/08-007.1
- Wu, Q., Lane, C., & Liu, H. (2014). An Effective Method for Detecting Potential Woodland Vernal Pools Using High-Resolution LiDAR Data and Aerial Imagery. *Remote Sensing*, 6(11), 11444–11467. doi:10.3390/rs61111444
- Xu, F. L., Dawson, R. W., Tao, S., Cao, J., & Li, B. G. (2001). A method for lake ecosystem health assessment: An Ecological Modeling Method (EMM) and its application. *Hydrobiologia*, 443(1992), 159–175. doi:10.1023/A:1017564608126
- Zacharias, I., Dimitriou, E., Dekker, A., & Dorsman, E. (2007). Overview of temporary ponds in the Mediterranean region: threats, management and conservation issues. *Journal of Environmental Biology / Academy of Environmental Biology, India*, 28(1), 1–9.
- Zacharias, I., Parasidoy, A., Bergmeier, E., Kehayias, G., Dimitriou, E., & Dimopoulos, P. (2009). A “DPSIR” model for Mediterranean temporary ponds: European, national and local scale comparisons. *Annales de Limnologie - International Journal of Limnology*, 44(4), 253–266. doi:10.1051/limn:2008009
- Zacharias, I., & Zamparas, M. (2010). Mediterranean temporary ponds. A disappearing ecosystem. *Biodiversity and Conservation*, 19(14), 3827–3834. doi:10.1007/s10531-010-9933-7
- Zedler, J. (2000). Progress in wetland restoration ecology. *Trends in Ecology and Evolution*, 15(10), 402–407. doi:10.1016/S0169-5347(00)01959-5
- Zedler, J. B., & Kercher, S. (2005). Status, Trends, Ecosystem Services, and Restorability. *Review Literature And Arts Of The Americas*, 30(1), 39–74. doi:10.1146/annurev.energy.30.050504.144248

- Zedler, P. H. (2003). Vernal pools and the concept of "isolated wetlands." *Wetlands*, 23(3), 597–607. doi:10.1672/0277-5212(2003)023[0597:VPATCO]2.0.CO;2
- Zedler, P. H., & Black, C. (2004). Exotic plant invasions in an endemic-rich habitat: The spread of an introduced Australian grass, *Agrostis avenacea* J. F. Gmel., in California vernal pools. *Austral Ecology*, 29(5), 537–546. doi:10.1111/j.1442-9993.2004.01446.x
- Zofkova, M. (2006). *Evolutionary Dynamics in Ephemeral Pools: Inferences From Genetic Architecture of*.
- Zokan, M., & Drake, J. M. (2015). The effect of hydroperiod and predation on the diversity of temporary pond zooplankton communities. *Ecology and Evolution*, 5(15), 3066–3074. doi:10.1002/ece3.1593
- Zongo, B., & Boussim, J. I. (2015). The effects of physicochemical variables and tadpole assemblages on microalgal communities in freshwater temporary ponds through an experimental approach. *Aquatic Biosystems*, 11(1), 1–14. doi:10.1186/s12999-014-0013-4
- Zunzunegui, M., Diaz Barradas, M. C., & Garcia Novo, F. (1998). Vegetation fluctuation in mediterranean dune ponds in relation to rainfall variation and water extraction. *Applied Vegetation Science*, 1(1), 151–160. doi:10.2307/1479093